Cucumber Report

| Start : Jul 22, 10:05:09.713 PM	End : Jul 22, 10:06:02.561 PM	Duration : 52.848 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 19 FAILED - 1 SKIPPED - 1

Features: 1

Scenarios: 1

Steps: 21

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 90 %

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	52.848 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	21	19	1	1	52.844 s

(F)- Product Master Retail Functionality

| FAILED	DURATION - 52.848 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 10:05:09.713 PM // 10:06:02.561 PM /		Pass - 0	1	Pass - 19	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- verify Checker user is able to Approve the record

FAILED	DURATION - 52.844 s		Steps	
/ 10:05:09.717 PM // 10:06:02.561 PM /			Total - 21	
Product Master Retail Functionality			Pass - 19	21
@ProductMaster_Retail_Approve_Reject_Return			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
5	Then click on Product Master add button	PASSED	2.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	9.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify functionality and asterik mark of the field Product Code	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot 		
8	Then Enter Product Description	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot 		
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot 		
10	Then verify the field Remarks	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on save button	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.101 s
12	Then validate Success pop up	PASSED	5.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.155 s
13	Then click on inbox	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.188 s
14	And open record for Approve	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.205 s

#	Step / Hook Details	Status	Duration
15	Then submit the Record	PASSED	5.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
16	Then Logout from Maker	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
17	And User Login as Checker	PASSED	10.783 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		
18	Then click on Menu	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then click on inbox	PASSED	0.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
20	Then Open the record to approve it	FAILED	1.036 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'5687')]/../../td/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f38494c97fffc3367731bb4caeb53fac, findElement {using=xpath, value=//span[contains(text(),'5687')]/../../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62214}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62214/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f38494c97fffc3367731bb4caeb53fac 　　at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) 　　at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) 　　at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) 　　at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.open_the_record_to_approve_it(ProductMaster_Retail.java:329) at ?.Open the record to approve it(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:109) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.082 s
21	Then approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

✉	English ▾ LOS ▾ Azentio Software ▾

Puneet
01-Sep-2023

←   **Product Master**

Product Master

Product Group *	Product Code *
Lending ▾	A

Product Description *	Retail/Corporate *
OK	Retail ▾

DM Code

Remarks

HomeLoan

Menu items:
- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- **Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

AZENTIO™

✉	English ▾ LOS ▾ Azentio Software ▾

✓ success ✕

Product Master

+		Export ▾

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
✎ 👁	98303249	A	OK	R	Active	
✎ 👁	98303249	A	OK	R	Active	CHECKER
✎ 👁	98303275	8	ASDFG	R	Active	
✎ 👁	98303249	A	OK	R	Active	CHECKER
✎ 👁	98303249	CCC	OK	R	Active	

Showing 1 to 5 of 140 entries   ≪   <   **1**   2   3   4   5   >   ≫   5

Menu items:
- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- **Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

---

Inbox

| English | No Module Mapped | Azentio Software | | Rajesh 01-Sep-2023 |

Action

Showing 0 to 0 of 0 entries 10

Inbox   Sub-ordinates

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5635	SUB_PRD_MAST	CHECKER	LOSCHK	in01951	22-Jul-2022 10:21	TSW	
	5671	PRODUCT_MST	CHECKER	LOSCHK	in01951	22-Jul-2022 10:9	TSW	
	47	FLOATING_RATE	CHECKER	LOSCHK	in01951	22-Jul-2022 10:7	TSW	
	5667	PRODUCT_MST	CHECKER	LOSCHK	in01951	22-Jul-2022 10:1	TSW	
	5665	PRODUCT_MST	CHECKER	LOSCHK	in01951	22-Jul-2022 9:58	TSW	
	5662	PRODUCT_MST	CHECKER	LOSCHK	in01951	22-Jul-2022 0:16	TSW	
	5650	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:33	TSW	
	5649	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:32	TSW	
	5639	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:30	TSW	
	5648	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:29	TSW	