


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	1 m 27.331 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to modify Customer Information record	12	10	1	1	1 m 27.328 s
		in the system					

DETAILED SECTION -- 4 --

## (F)- Title of your feature

FAILED	DURATION - 1 m 27.331 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 4:05:40.229 P	PM // 4:07:07.560 PM /	Pass - 0	1	Pass - 10	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- To verify user is able to modify Customer Information record in the system



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	4.025 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
	+ AZENTIO		
2	And login with valid credentials	PASSED	4.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot		
	ASSERTO ANNO 2 of \$ 600 000 00 \$.		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  •  O.200 s	#	Step / Hook Details	Status	Duration
screenshot  And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s	3	And User get the test data for test case AT_CD_01	PASSED	0.181 s
And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.200 s  0.278 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.200 s  22.658 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  PASSED  0.207 s		screenshot		
4 And User click the module name dropdown in ULS application  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.208 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.208 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.216 s  PASSED  0.201 s				
screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.160 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.278 s	4	And User click the module name dropdown in ULS application	PASSED	0.209 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the Mail box in ULS application  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the Mail box in ULS application  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  PASSED  0.207 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
And User select the module name as LOS in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.200 s  PASSED  0.200 s  PASSED  0.200 s				
screenshot  And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s	5	And User select the module name as LOS in ULS application	PASSED	0.017 s
And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.278 s  And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.160 s  PASSED  O.207 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
And User click the Mail box in ULS application  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.160 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.207 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.278 s  0.278 s  PASSED  0.278 s				
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.160 s PASSED 0.207 s	6	And User click the Mail box in ULS application	PASSED	22.658 s
7 And User click the Search button under inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.160 s PASSED 0.207 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
7 And User click the Search button under inbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.160 s  0.207 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.207 s				
	7	And User click the Search button under inbox	PASSED	0.160 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	** A SERVICE**  ** A SERVICE**		
8	And User search the Ref id under inbox	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
	A SECTION		
9	And User click the Entitle button under inbox	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
	AZENTO  Sample of a control of		
10	And user click the customer details tab	PASSED	0.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		
	AZECTION  THE PROPERTY OF THE		
11	And user click on the first record edit button under customer details	FAILED	44.964 s
	java.lang.AssertionError: Cannot invoke "org.openqa.selenium.WebElement.click()" because the return value of "helper.JavascriptHelper. executeScriptWithWebElement(String)" is null at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.IJARAH_Steps.user_click_on_the_first_record_edit_button_under_customer_details(IJARAH_Steps.java:275) at ?.user click on the first record edit button under customer details(file:///C:/Users/ININDC00627/git/ULS_ljarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah.feature:81)  * Not displayable characters are replaced by '?'.		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
	AMADIC OF B NO. 80 MIN OF B NO		
12	And user verify all the details under personal details	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **AZENTIO** (S) To verify user is able to modify Customer Information record in the system (F) Title of your feature AZENTIO 31-Jan-2023 📰 💌 🔐 Eng... 🔻 Co... 🔻 Cen... 🔻 (Step) AFTER\_STEP - stepdefinitions. **ONE**Banking 88 HooksClass.addScreenshot(io.cucumber. java.Scenario) 0 (S) To verify user is able to modify Customer Information record in the system (F) Title of your feature






**EXPANDED SECTION** 



**AZENTIO** (Step) AFTER\_STEP - stepdefinitions. 31-Jan-2023 🚃 🔀 🛗 Eng... 🔻 LOS 🔻 Cen... 🔻 **ONE**Banking HooksClass.addScreenshot(io.cucumber. 88 Inbox X 2971 java. Scenario) 0 Action Approver Role Client Name Reference Id Event Workflow Employee Stage Description Role Code Created Date BPM Two Stage Workflow Two Stage Workflow LOSMKR 22-Sep-2023 SKowsalya CPUEXEC 22-Sep-2023 3046 Loan Application Home Loan Workflow in02040 App Data Entry 2 3209 test Loan Application New Application BREXEC 21-Sep-2023 3208 TEST Loan Application 21-Sep-2023 Tawarrug Retail work Flow in02040 New Application 20 3199 meera Loan Application App Data Entry CPUEXEC 21-Sep-2023 work Flow 2 15-Sep-2023 3138 Vikram Loan Application Home Loan Workflow New Application BREYEC (S) To verify user is able to modify 20 Murabaha Auto Retail work in02040 3036 06-Sep-2023 Loan Application New Application Customer Information record in the system 20 Murabaha Auto Retail work in02040 3035 Loan Application New Application BREXEC 06-Sep-2023 20 Murabaha Auto Retail work in02040 3031 Test Cok CD BREXEC 06-Sep-2023 Loan Application New Application Murabaha Auto Retail work in02040 20 3025 Test Cok Loan Application New Application BREXEC 06-Sep-2023 Showing 1 to 10 of 58 entries (F) Title of your feature

EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

