

# Cucumber Report

Sep 8, 2022, 1:25:08 PM

Start : Sep 08, 1:24:56.275 PM

End : Sep 08, 1:25:06.582 PM

Duration : 10.307 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 23







#	Feature Name	T	P	F	S	Duration
1	ReportMaster Functionality	1	0	1	0	10.307 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ReportMaster Functionality	To verify user is able to reject Report Group Master record	24	0	1	23	10.304 s

**(F)- ReportMaster Functionality**

<b>FAILED</b>	<b>DURATION - 10.307 s</b>	Scenarios		Steps	
/ 1:24:56.275 PM // 1:25:06.582 PM /		Total - 1		Total - 24	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 23	

**(S)- To verify user is able to reject Report Group Master record**

<div>FAILED</div> <div>DURATION - 10.304 s</div>		<div></div>	Steps		<div></div>
/ 1:24:56.278 PM // 1:25:06.582 PM /			Total - 24		
ReportMaster Functionality			Pass - 0		
@ReportMaster25			Fail - 1		
			Skip - 23		

#	Step / Hook Details	Status	Duration
1	<p>Given User launch the kuls application</p> <pre>org.openqa.selenium.InvalidArgumentException: invalid argument (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [57e189320e13bfe108d46de6ca5b99d5, get {url=10.1.56.122:8680/cob-qc}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53662}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53662/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 57e189320e13bfe108d46de6ca5b99d5     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	<b>FAILED</b>	0.307 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.KULS_Login.user_launch_the_kuls_application(KULS_Login.java:29) at ?.User launch the kuls application(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ReportMaster.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.051 s
	screenshot		
	+		
2	And User Login as maker	SKIPPED	0.001 s
3	Then click on Config Manager	SKIPPED	0.000 s
4	Then click on Report Master Checkbox	SKIPPED	0.000 s
5	Then search Report Master record from view List	SKIPPED	0.000 s
6	Then click on Report Group Master segment button	SKIPPED	0.000 s
7	Then click on Report Group Master AddButton	SKIPPED	0.001 s
8	Then Enter Group Name	SKIPPED	0.001 s
9	Then Enter Group Description	SKIPPED	0.000 s
10	Then Enter Min Required Parameter	SKIPPED	0.000 s
11	Then save Report Group Master Record	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s
14	Then click on inbox search icon	SKIPPED	0.000 s
15	Then search Report Group Master record	SKIPPED	0.000 s
16	And maker user open the record from inbox	SKIPPED	0.000 s
17	Then maker user submit the Record	SKIPPED	0.000 s
18	Then user logout from the application	SKIPPED	0.000 s
19	And User Login as Checker	SKIPPED	0.001 s
20	Then click on inbox	SKIPPED	0.000 s
21	Then click on inbox search icon	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
22	Then search Report Group Master record	SKIPPED	0.000 s
23	Then checker user open the record from inbox	SKIPPED	0.000 s
24	Then checker user reject the record	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to reject Report  
Group Master record

(F) ReportMaster Functionality