Cucumber Report

| Start : Sep 30, 4:15:16.245 pm	End : Sep 30, 4:15:41.522 pm	Duration : 25.277 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 12
1	1	16
0 %	0 %	18 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	1	0	1	0	25.277 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	verify the Unit details Parameter details List view	16	3	1	12	25.271 s

(F)- Check the functionality of the Project Ubit Details

| FAILED	DURATION - 25.277 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 4:15:16.245 pm // 4:15:41.522 pm /		Pass - 0	1	Pass - 3	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- verify the Unit details Parameter details List view

FAILED	DURATION - 25.271 s		Steps	
			Total - 16	
/ 4:15:16.251 pm // 4:15:41.522 pm /			Pass - 3	16
Check the functionality of the Project Ubit Details			Fail - 1	
@AT_PM_T015			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	16.551 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.407 s
4	When user click on Project set up menu	FAILED	0.109 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Project Setup')]"} (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium. dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [3e18ef7bb77f8dbd2e0087e6284443f9, findElement {using=xpath, value=//ion-label[contains(text(),'Project Setup')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55944}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55944/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e18ef7bb77f8dbd2e0087e6284443f9
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)
	   at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49) at stepdefinitions.ProjectMaster_UnitDetails.user_click_on_project_set_up_menu(ProjectMaster_UnitDetails.java:38) at ?.user click on Project set up menu(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_ProjectMaster_UnitDetaill.feature:7) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.247 s
5	And user click on project master List view icon	SKIPPED	0.001 s
6	And user click on List view Edit Icon	SKIPPED	0.000 s
7	And user click on unit details Add icon and verify the functionality	SKIPPED	0.000 s
8	And user Enter the value in Building Name and verify it	SKIPPED	0.000 s
9	And user Enter the value in Unit No and verify it	SKIPPED	0.000 s
10	And user Enter the value in Floor and verify it	SKIPPED	0.000 s
11	And user Enter the value in Saleable Area sq ft and verify it	SKIPPED	0.000 s
12	And user Enter the value in Unit No and verify it	SKIPPED	0.000 s
13	And user Enter the value in Exposed No and verify it	SKIPPED	0.000 s
14	And user verify the Active De-Active status and verify it	SKIPPED	0.001 s
15	And user save the Record in unit Details and verify the Message	SKIPPED	0.000 s
16	And User verify the list view Record is Non-Editable	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the Unit details Parameter details List view

(F) Check the functionality of the Project Ubit Details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify the Unit details Parameter details List view

(F) Check the functionality of the Project Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter details List view

(F) Check the functionality of the Project Ubit Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the Unit details Parameter details List view

(F) Check the functionality of the Project Ubit Details