Cucumber Report

Start : Jul 21, 4:40:29.028 PM	End : Jul 21, 4:40:36.997 PM	Duration : 7.969 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	7.969 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Product Master Retail Functionality*	*Checker*	2	0	1	1	7.965 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 7.969 s	Scenarios	Steps
		Total - 1	Total - 2
/ 4:40:29.028 PM // 4:40:36.997 PM /		Pass - 0	Pass - 0
		Fail - 1	Fail - 1
		Skip - 0	Skip - 1

(S)- Checker

FAILED	DURATION - 7.965 s		Steps
/ 4:40:29.032 PM // 4:40:36.997 PM /			Total - 2
Product Master Retail Functionality			Pass - 0
			Fail - 1
@Checker			Skip - 1

#	Step / Hook Details	Status	Duration
1	And User Login as Checker	FAILED	4.776 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence 　at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) 　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) 　at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) 　at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) 　at java.base/java.lang.reflect.Method.invoke(Method.java:568) 　at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) 　at jdk.proxy2/jdk.proxy2.$Proxy45.sendKeys(Unknown Source) 　at stepdefinitions.KULS_Application_Login.ulSApplicationLoginAsAChecker(KULS_Application_Login.java:51) 　at stepdefinitions.KULS_Login.user_login_as_checker(KULS_Login.java:46) 　at ?.User Login as Checker(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:106) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
2	Then click on inbox	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Checker

(F) Product Master Retail Functionality

AZENTIO™

End-to-End Banking Suite

Enabling banks to continually redefine themselves, catering to the entire spectrum of banking functions – lending, core banking, treasury, trade finance, anti-money laundering and integrated risk management.

User ID

CONTINUE