


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	collateral Functionality	1	0	1	0	10.420 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	collateral Functionality	Asset collateral category - List View WIP Records	28	0	1	27	10.385 s

DETAILED SECTION -- 4 --

(F)- collateral Functionality

FAILED	DURATION - 10.420 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 9:43:19.573 AN	1 // 9:43:29.993 AM /	Pass - 0	1	Pass - 0	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 27	

(S)- Asset collateral category - List View WIP Records



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	FAILED	5.281 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'lNMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [94b19a973536d4aeccbff213d3cae6e5, get {url=http://10.1.56.122:8680/cob-qc}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50088}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50088/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 94b19a973536d4aeccbff213d3cae6e5 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.KULS_Login.user_launch_the_kuls_application(KULS_Login.java:29) at ?.User launch the kuls application(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ Collateral.feature:28) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
	No size can be reacted State of the reacted		
2	And User Login as maker	SKIPPED	0.000 s
3	Then click on Asset collateral config	SKIPPED	0.000 s
4	Then click on collateral Edit icon	SKIPPED	0.000 s
5	Then open collateral wip record for return	SKIPPED	0.001 s
6	Then click on collateral save button	SKIPPED	0.000 s
7	Then validate Success pop up	SKIPPED	0.000 s
8	Then click on inbox	SKIPPED	0.000 s
9	Then click on search icon of record list	SKIPPED	0.000 s
10	Then search collateral record	SKIPPED	0.000 s
11	And maker user open the record from inbox	SKIPPED	0.000 s
12	Then maker user submit the Record	SKIPPED	0.001 s
13	Then user logout from the application	SKIPPED	0.001 s
14	And User Login as Checker	SKIPPED	0.000 s
15	Then click on inbox	SKIPPED	0.001 s
16	Then click on search icon of record list	SKIPPED	0.000 s
17	Then search collateral record	SKIPPED	0.000 s
18	Then checker user open the record from inbox	SKIPPED	0.002 s
19	Then validate Txn status is completed	SKIPPED	0.000 s
20	Then close the collateral view summary	SKIPPED	0.000 s
21	Then checker user return the record	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
22	Then user logout from the application	SKIPPED	0.001 s
23	And User Login as maker	SKIPPED	0.000 s
24	Then click on Asset collateral config	SKIPPED	0.000 s
25	Then click on collateral Edit icon	SKIPPED	0.000 s
26	Then search and validate the approved record	SKIPPED	0.000 s
27	Then open collateral wip record for return	SKIPPED	0.001 s
28	Then user logout from the application	SKIPPED	0.000 s

EXPANDED SECTION -- 7

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

 $\underline{\text{(S) Asset collateral category - List View}}\\ \text{WIP Records}$

(F) collateral Functionality



This site can't be reached

10.1.56.122 refused to connect.

Try:

- Checking the connection
- Checking the proxy and the firewall

ERR_CONNECTION_REFUSED

Reload

Details