


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	verify the Beneficiary details screen with list view	1	1	0	0	43.581 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	verify the Beneficiary details screen	verify system display the List view at bottom of the screen	21	21	0	0	43.576 s
	with list view						

DETAILED SECTION

(F)- verify the Beneficiary details screen with list view

PASSED	DURATION - 43.581 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 3:33:46.731 pm	// 3:34:30.312 pm /	Pass - 1	1	Pass - 21	21
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify system display the List view at bottom of the screen



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	13.534 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.792 s
	screenshot		
	CONTROL IN SECURITY OF THE PROPERTY OF THE PRO		
2	And user click on Inbox Icon	PASSED	0.439 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
	screenshot		
	ASERVICE THE PROPERTY OF THE		

Ad user click search icon Ad user search Disbursement Maker And user click on First record of Beneficiary Entry And user click on First record of Beneficiary Entry And user click on Brist record of Beneficiary Entry And user click on Beneficiary Details Tab And user verify the Beneficiary Type in List view screen And user verify the Beneficiary Type in List view screen PASSED 2.113 s PASSED 2.113 s PASSED 2.113 s PASSED 2.113 s PASSED 3.113 s PASSED 4.420 s PASSED 4.440 s PASSED	#	Step / Hook Details	Status	Duration
screenshot 4 And user search Disbursement Maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on First record of Beneficiary Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And user click on First record of Beneficiary Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s PASSED 0.191 s 1.420 s PASSED 0.714 s	3	And user click search icon	PASSED	0.119 s
4 And user search Disbursement Maker PASSED 0.111 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on First record of Beneficiary Entry PASSED 0.440 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on Beneficiary Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
4 And user search Disbursement Maker AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user click on First record of Beneficiary Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND Use verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s				
screenshot Arter_step definitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on First record of Beneficiary Entry AFTER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Arter_step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Arter_step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) After_step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) After_step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) After_step definitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.163 s	4	And user search Disbursement Maker	PASSED	0.111 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
And user click on First record of Beneficiary Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Beneficiary Details Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s PASSED O.763 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Beneficiary Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		A ZENTIO		
Screenshot And user click on Beneficiary Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s	5	And user click on First record of Beneficiary Entry	PASSED	2.164 s
6 And user click on Beneficiary Details Tab PASSED 1.420 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.440 s
6 And user click on Beneficiary Details Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s PASSED O.714 s				
7 And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s	6	And user click on Beneficiary Details Tab	PASSED	1.420 s
7 And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s PASSED 0.163 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.714 s
7 And user verify the Beneficiary Type in List view screen AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.113 s PASSED 0.163 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.163 s				
	7	And user verify the Beneficiary Type in List view screen	PASSED	2.113 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
		screenshot		

#	Step / Hook Details	Status	Duration
	### 2 CASES 10 CASES		
8	And user verify the Beneficiary Name in List view screen	PASSED	0.046 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
	ATTACH OF THE PROPERTY OF THE		
9	And user verify the Account type in List view screen	PASSED	0.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
	ACTIVITY OF A PART OF THE PAR		
10	And user verify the IBAN Account number in List view screen	PASSED	0.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
	## A SECRETO ## A SECRETOR ##		
11	And user verify the Beneficiary Bank_Name in List view Screen	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot	1	

ASSITIO	
12 And user verify the Bank name in List view screen PASSED	0.064 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.218 s
screenshot	
AZENTO O D P SO	
13 And user verify the Add button in List view screen PASSED	0.053 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.221 s
screenshot	
A STATUTO S TO	
14 And user verify the Values in List view should be non editable PASSED	0.198 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.237 s
screenshot	
15 And user verify the Search button in List view screen PASSED	0.041 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.151 s
screenshot	


#	Step / Hook Details	Status	Duration
	AZENTO		
16	And user verify the Export to excel in List view screen	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
	AZENTO P P ROS ROS ROS		
17	And user verify the Export to PDF in List view screen	PASSED	0.073 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.794 s
	screenshot		
	AZENTO		
18	And user verify the functionality of Search box with mismatch data	PASSED	0.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
	ASSISTED		
19	And user verify the functionality of Search box with matching data	PASSED	0.937 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot]	

-- 8 --


DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
	# A SERVICE # D # P # 500 500 500 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
20	And user verify the functionality of Export to PDF button	PASSED	1.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.741 s
	screenshot		
	AZENTO O D P S MO MO MO MO D 1 O D P S MO MO MO MO MO D 1 O D MO		
21	And user verify the functionality of Export to Excel button	PASSED	2.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		
	PERSONAL OF THE PROPERTY OF TH		


EXPANDED SECTION -- 10 --





EXPANDED SECTION























EXPANDED SECTION -- 20 --

