

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	1 m 4.015 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Validate the fields in Living expense parameter sub module	15	15	0	0	1 m 4.009 s
	Expenses Master						

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 1 m 4.015 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 3:50:49.329 pm	n // 3:51:53.344 pm /	Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Validate the fields in Living expense parameter sub module



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	23.818 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.776 s
	screenshot		
	CONTROL STATE OF THE PROPERTY		
2	Then user click on configurations Tab	PASSED	0.534 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	screenshot		
	CONTROL STATE OF THE PROPERTY		

When user click Config Manager menu
screenshot 4 And user Goto the Temp view screen of living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.902 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s
4 And user Goto the Temp view screen of living Expense PASSED 0.843 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on Pencil icon of existing record PASSED 1.902 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s
4 And user Goto the Temp view screen of living Expense PASSED 0.843 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.902 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.902 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s
screenshot 5 And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s
5 And click on Pencil icon of existing record PASSED 1.902 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s
5 And click on Pencil icon of existing record PASSED 1.902 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.376 s
5 And click on Pencil icon of existing record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.902 s 0.376 s
screenshot ASSITIO ASSITIO
6 And Navigate to Living expense parameter section PASSED 1.162 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.422 s
screenshot
A 2501703
7 And user Pass the Exceldata value for Living expense parameter view list PASSED 0.154 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.447 s
screenshot


Step / Hook Details	Status	Duration
And Validate all fields present in Living expense parameter view list	PASSED	3.117 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
screenshot		
And Validate that records in Living expense parameter view list is non editable	PASSED	2.089 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
screenshot		
And Search with valid test data in Living expense parameter view list	PASSED	1.026 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
screenshot		
ASETO Sold of Fig. 1 and 1 an		
And Search with invalid test data in Living expense parameter view list	PASSED	1.757 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
screenshot]	
	And Validate all fields present in Living expense parameter view list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Validate that records in Living expense parameter view list is non editable AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Search with valid test data in Living expense parameter view list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Search with valid test data in Living expense parameter view list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	And Validate all fields present in Living expense parameter view list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Validate that records in Living expense parameter view list is non editable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Search with valid test data in Living expense parameter view list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Search with valid test data in Living expense parameter view list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Search with invalid test data in Living expense parameter view list And Search with invalid test data in Living expense parameter view list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

#	Step / Hook Details	Status	Duration
AZENTO			
12 And \	Alidate the export to PDF functionality of Living expense parameter	PASSED	2.876 s
AFTE	R_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
screer	nshot		
AZENTO AZENTO			
13 And \	/alidate the export to Excel functionality of Living expense parameter	PASSED	0.320 s
AFTE	R_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
screer	nshot		
A ASSATION	Table 1		
14 And C	Click on Add icon of Living expense parameter	PASSED	0.877 s
AFTE	R_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.954 s
screer	nshot		
CASENTO CAS			
15 And C	Click on back button of ILiving expense parameter	PASSED	0.236 s
AFTE	R_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
screer	nshot		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	ACTIVITO THE PARTY OF THE PART		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

