


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	59.181 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living expense location record	17	10	1	6	59.175 s
	Expenses Master						

## **(F)- Check the functionality of Living Expenses Master**

FAILED	DURATION - 59.181 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 4:43:32.433 pn	n // 4:44:31.614 pm /	Pass - 0	1	Pass - 10	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## (S)- Creation of Living expense location record



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	25.701 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.431 s
	screenshot		
	CALCETION  TO AND		
2	Then user change Application Type as Los	PASSED	2.559 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
	ALIANTO  INCLUDE  INCLUD  INCLUD		

Then user click on configurations Tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  When user click Config Manager menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		Details Status	Duration
Screenshot  When user click Config Manager menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Goto the Temp view screen of living Expense  PASSED  0.241 s  0.467 s  PASSED  0.467 s	3 Then user click on configurations Tab	PASSED	0.086 s
4 When user click Config Manager menu PASSED 0.241 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.467 s  screenshot 0.467 s  And user Goto the Temp view screen of living Expense PASSED 0.587 s	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.c	imber.java.Scenario) PASSED	0.474 s
4 When user click Config Manager menu  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Goto the Temp view screen of living Expense  PASSED  0.241 s  0.467 s  PASSED  0.467 s  PASSED  0.587 s	screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Goto the Temp view screen of living Expense  PASSED  0.467 s  PASSED  0.587 s	**************************************		
Screenshot  5 And user Goto the Temp view screen of living Expense  PASSED  0.587 s	4 When user click Config Manager menu	PASSED	0.241 s
5 And user Goto the Temp view screen of living Expense PASSED 0.587 s	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.c	ımber.java.Scenario) PASSED	0.467 s
5 And user Goto the Temp view screen of living Expense PASSED 0.587 s	screenshot		
	ASSETTION  THE RESIDENCE OF THE PROPERTY OF TH		
AETER STEP - standafinitions HooksClass addScreenshot(in cucumber java Scenario)  PASSED 0.733 s	5 And user Goto the Temp view screen of living Expense	PASSED	0.587 s
A TEN_STELL - stepuelimitions: 100ks-class.add-screenshot(io.cucumber.java.scenario)	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.c	ımber.java.Scenario) PASSED	0.733 s
screenshot	screenshot		
AREATO  AMERICAN  AMERICAN			
6 And click on Pencil icon of existing record PASSED 0.661 s	6 And click on Pencil icon of existing record	PASSED	0.661 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.535 s	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.c	ımber.java.Scenario) PASSED	0.535 s
screenshot	screenshot		
### CENTS    10   10   10   10   10   10   10   1	**************************************		
7 And Navigate to Living expense location page 2.196 s	7 And Navigate to Living expense location page	PASSED	2.196 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.078 s	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.c	mber.java.Scenario) PASSED	1.078 s
screenshot	screenshot		

#	Step / Hook Details	Status	Duration
	AZENTO  AND DE TOTAL		
8	And Click on Add icon of Living expense parameter	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.569 s
	screenshot		
	CANCEL CONTROL		
9	And user Pass the Exceldata value for Living expense Location creation	PASSED	0.695 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.512 s
	screenshot		
	AZENTO  AND BY THE PROPERTY OF		
10	And Select the value in Country field of Living expense parameter	PASSED	1.894 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.496 s
	screenshot		
	ASSETTION  AND ADDRESS OF THE PROPERTY OF THE		
11	And Select the value in Province field of Living expense parameter	FAILED	1.207 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-tiq-c322="" aria-haspopup="listbox" aria-label="Select, Province *" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" ng-reflect-cancel-text="CANCEL" ng-reflect-disabled="false" ng-reflect-interface="popover" ng-reflect-is-disabled="false" ng-reflect-multiple="false" ng-reflect-ok-text="OK" ng-reflect-placeholder="Select" role="button"></ion-select> is not clickable at point (1079, 293). Other element would receive the click: <ion-popover aria-modal="true" class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" no-router="" style="z-index: 20004;width:528px;" tabindex="-1"></ion-popover> (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch:		


DETAILED SECTION -- 7 -

#	Step / Hook Details	Status	Duration
	*amd64*, os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [8556c59a4ec9e9a1ed1bea7c7ae008b, clickElement (id=0cc0acfd-6935-4101-b65c-415b4a898334)] Capabillities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 105.0.5249.119, service; (chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:VUsersININDC-1AppDatalL), goog:chromeOptions: (debuggerAddress: localhost.63875), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secdp: ws://localhost.63875/devtoo, secdpVersion: 106.0.5249.119, setWindowRect: true, stintcFlieInteractability: false, timeouts: (implicit: 0, pageLoad: 30000), script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlo		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
	*** CERTIFIC *** CANADA CONTROL CONTRO		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
12	And Enter the value in Area factor income of Living expense parameter	SKIPPED	0.000 s
13	And Enter the value in Area factor expenditure of Living expense parameter	SKIPPED	0.000 s
14	Then Click on Save button in Living expense parameter	SKIPPED	0.000 s
15	And user goto Inbox and than stored the Ref ID	SKIPPED	0.000 s
16	Then user Click on Action Icon	SKIPPED	0.000 s
17	And user verify submit and than submit New Record from Maker stage	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

