Cucumber Report

Start : Nov 18, 12:46:05.220 pm	*End : Nov 18, 12:46:55.430 pm*	*Duration : 50.210 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 7 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	50.210 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Check the functionality of Living Expenses Master*	*Modification of Living Expense Location record*	7	7	0	0	50.204 s

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 50.210 s	Scenarios		Steps	
/ 12:46:05.220 pm // 12:46:55.430 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 7 Pass - 7 Fail - 0 Skip - 0	7

(S)- Modification of Living Expense Location record

PASSED	DURATION - 50.204 s		Steps	
/ 12:46:05.226 pm // 12:46:55.430 pm /			Total - 7	7
Check the functionality of Living Expenses Master			Pass - 7	
@AT_LE_029_Modification			Fail - 0 Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	21.848 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.074 s
2	Then user change Application Type as Los	PASSED	4.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.538 s

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
4	When user click Config Manager menu	PASSED	0.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.758 s
	screenshot		
5	And user click on List view Icon of Living Expenses	PASSED	0.584 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.184 s
	screenshot		
6	And user click on First record in living Expense	PASSED	0.237 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
7	And Navigate to Living expense location page	PASSED	0.751 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.761 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Living Expense Location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Living Expense Location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Living Expense
Location record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Living Expense
Location record

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Living Expense Location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Living Expense Location record

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Living Expense Location record

(F) Check the functionality of Living Expenses Master