

# Cucumber Report

17-Oct-2022, 2:57:07 pm

**Start : Oct 17, 2:52:31.394 pm**

**End : Oct 17, 2:57:01.854 pm**

**Duration : 4 m 30.460 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 17**


**FAILED - 1**

**SKIPPED - 11**







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	4 m 30.460 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>Modification of Warehouse Master record</u>	29	17	1	11	4 m 30.454 s



**(F)- check the functionality of the Warehouse Master**

<b>FAILED</b>	<b>DURATION - 4 m 30.460 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 29 Pass - 17 Fail - 1 Skip - 11	
/ 2:52:31.394 pm // 2:57:01.854 pm /					

**(S)- Modification of Warehouse Master record**




<b>FAILED</b>	<b>DURATION - 4 m 30.454 s</b>		Steps Total - 29 Pass - 17 Fail - 1 Skip - 11	
/ 2:52:31.400 pm // 2:57:01.854 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T005_Modification				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	31.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.404 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.863 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	1.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.668 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	2.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.699 s
	screenshot		
			
5	And user click on Add icon for Warehouse master	PASSED	33.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.815 s
	screenshot		
			
6	And user Enter the value in description and verify it	PASSED	8.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
			
7	And user Enter the value in Address field and verify it	PASSED	0.616 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in country field and verify it	PASSED	1.611 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot		
			
9	And user Enter the value in state field and verify it	PASSED	0.670 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		
			
10	And user Enter the value in Location field and verify it	PASSED	0.706 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
	screenshot		
			
11	And user Enter the value in Zip code field and verify it	PASSED	0.642 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	And user Enter the value in Phone field and verify it	PASSED	0.394 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
			
13	And user Enter the value in Fax field and verify it	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		
			
14	And user Enter the value in Email field and verify it	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
			
15	And user Enter the value in Contact person field and verify it	PASSED	0.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
16	And user save the warehouse master Record	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.578 s
	screenshot		
			
17	And user click Temp view icon of Warehouse Master	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.263 s
	screenshot		
			
18	And user click on First Record Edit icon	FAILED	2 m 30.107 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //tbody/tr[1]/td[1]/span[1]/button[1]' (tried for 150 second(s) with 2000 milliseconds interval)  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)  at stepdefinitions.WareHouseMaster.user_click_on_first_record_edit_icon(WareHouseMaster.java:731)  at ?.user click on First Record Edit icon(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:156)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//tbody/tr[1]/td[1]/span[1]/button[1]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8f6fbc7e9df87c3aa88d179599ae651d, findElement {using=xpath, value=//tbody/tr[1]/td[1]/span[1]/button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:65332}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65332/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts:</p>		



#	Step / Hook Details	Status	Duration
	<pre> {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8f6fbc7e9df87c3aa88d179599ae651d   at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)   at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)   at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)   at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)   at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)   at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)   at stepdefinitions.WareHouseMaster.user_click_on_first_record_edit_icon(WareHouseMaster.java:731)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)   at io.cucumber.java.Invoker.invoke(Invoker.java:24)   at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)   at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)   at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)   at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)   at io.cucumber.core.runner.TestStep.run(TestStep.java:64)   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)   at io.cucumber.core.runner.TestCase.run(TestCase.java:104) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'.  </p>		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> <b>screenshot</b>	PASSED	0.224 s
			

#	Step / Hook Details	Status	Duration
19	And user Enter the value in description and Modify it	SKIPPED	0.000 s
20	And user Enter the value in Address field and Modify it	SKIPPED	0.000 s
21	And user click on the update button	SKIPPED	0.000 s
22	And user click list view icon of Warehouse Master	SKIPPED	0.000 s
23	And user click on First Record Edit icon	SKIPPED	0.000 s
24	And user Enter the value in description and ReModify it	SKIPPED	0.000 s
25	And user Enter the value in Address field and ReModify it	SKIPPED	0.000 s
26	And user click on the update button	SKIPPED	0.001 s
27	And user goto the Maker Inbox and store the Referance ID	SKIPPED	0.000 s
28	Then user Click on Action Icon	SKIPPED	0.000 s
29	And user verify the submit button and submit the Record from Maker stage	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record


(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Warehouse Master

Description: HNK\_DESC

Country: INDIA

Location: Select

Phone 1

E-Mail

Address: HNK\_ADDRESS

State: Select

Zip Code: Select

Fax

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Warehouse Master

Description: HNK\_DESC

Country: INDIA

Location: Select

Phone 1

E-Mail

Address: HNK\_ADDRESS

State: Select

Zip Code: Select

Fax

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBanking**

Search the menu

**Warehouse Master**

Description: HNK\_DESC

Country: INDIA

Location: Select

Phone 1:

E-Mail:

Address: HNK\_ADDRESS

State: Maharastra

Zip Code: Select

Fax: NAGPUR

JAMMU AND KASHMIR

Contact Person: RAJASTHAN

MADHYAPRADESH

UTTARAPRADESH

Punjab

Maharastra ✓

Karnataka

GUJARAT

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBanking**

Search the menu

**Warehouse Master**

Description: HNK\_DESC

Country: INDIA

Location: Thane

Phone 1: Select

E-Mail: Thane

Address: HNK\_ADDRESS

State: Maharastra

Zip Code: Select

Fax:

Contact Person:

Yavatmal

Washim

Wardha

Thane

Solapur

Sindhudurg

Satara

Sangli

Ratnagiri

Raigarh(MH)

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Warehouse Master

Description: HNK\_DESC

Country: INDIA

Location: Thane

Phone 1

E-Mail

Address: HNK\_ADDRESS

State: Maharashtra

Zip Code: PIN57946

Fax

Contact Person

PIN57946

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO**  
ONEBanking

Search the menu

Warehouse Master

Description: HNK\_DESC

Country: INDIA

Location: Thane

Phone 1: 9.87654321E9

E-Mail

Address: HNK\_ADDRESS

State: Maharashtra

Zip Code: PIN57946

Fax

Contact Person

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBanking**

Search the menu

**Warehouse Master**

Description: HNK\_DESC

Address: HNK\_ADDRESS

Country: INDIA

State: Maharashtra

Location: Thane

Phone 1: 9.87654321E9

E-Mail:

Contact Person:

Zip Code: PINS7946

Fax: 4654321

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

**AZENTIO ONEBanking**

Search the menu

**Warehouse Master**

Description: HNK\_DESC

Address: HNK\_ADDRESS

Country: INDIA

State: Maharashtra

Location: Thane

Phone 1: 9.87654321E9

E-Mail: azentio@gmail.com

Contact Person:

Zip Code: PINS7946

Fax: 4654321

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports

Warehouse Master

Description

HNK\_DESC

Country

INDIA

Location

Thane

Phone 1

9.87654321E9

E-Mail

azentio@gmail.com

Address

HNK\_ADDRESS

State

Maharastra

Zip Code

PIN57946

Fax

4654321

Contact Person

MEEE

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports

Warehouse Master

Description

HNK\_DESC

Country

INDIA

Location

Thane

Phone 1

9.87654321E9

E-Mail

azentio@gmail.com

Address

HNK\_ADDRESS

State

Maharastra

Zip Code

PIN57946

Fax

4654321


Contact Person

MEEE

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Modification of Warehouse Master  
record

(F) check the functionality of the  
Warehouse Master

