

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Offer Details Functionality	1	1	0	0	1 m 10.326 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Offer Details Functionality	To verify the section Interest Rate Structure & Installments	16	16	0	0	1 m 10.323 s
		section					

DETAILED SECTION -- 4 --

(F)- Offer Details Functionality

PASSED	DURATION - 1 m 10.326 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 3:51:14.392 PN	1 // 3:52:24.718 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify the section Interest Rate Structure & Installments section



#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application	PASSED	59.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
	RADIO BOOK BOOK BOOK BOOK BOOK BOOK BOOK BO		
2	And User Login as maker	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		


3 And Navigate to Mail box PASSED 0.265 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And Sarch the value in Mail box PASSED 0.102 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s Output Output Description: Output Description: PASSED 0.102 s Output Description: Output Description
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And Sarch the value in Mail box PASSED 0.164 s PASSED 0.102 s
Screenshot And Sarch the value in Mail box Screenshot PASSED 0.102 s
4 And Sarch the value in Mail box PASSED 0.102 s
4 And Sarch the value in Mail box PASSED 0.102 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.155 s
screenshot
ASSTOR NAMED OF THE PROPERTY
5 And Click on action icon of first record in offering details 2.121 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s
screenshot
ALBERTON State Control of the
6 Then open Facility Info Record PASSED 1.138 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.145 s
screenshot

7 Then verify the section Appeal Request fields are available AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 8 Then verify New Requested Tenure field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then verify New Requested Amount field system should allow user to enter value manually PASSED 0.091 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 7 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.098 s 7 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.098 s 0.097 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then verify New Requested Tenure field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s PASSED 0.087 s		BANKO B B B B B B B B B B B B B B B B B B B		
8 Then verify New Requested Tenure field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.093 s	7		PASSED	1.300 s
8 Then verify New Requested Tenure field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.098 s 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
8 Then verify New Requested Tenure field system should allow user to enter value manually AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.113 s 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.098 s 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s PASSED 0.037 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 0.129 s 0.098 s		ALAUTO BLOOK B II B BO B		
Screenshot 9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s	8	Then verify New Requested Tenure field system should allow user to enter value manually	PASSED	0.091 s
9 Then verify New Requested Amount field system should allow user to enter value manually AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.098 s 0.098 s 0.098 s		AND SECURITY AN		
Screenshot 10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s 0.087 s	9	Then verify New Requested Amount field system should allow user to enter value manually	PASSED	0.129 s
10 Then verify the field Original Requested Tenure should be in read only mode AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.033 s 0.087 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.098 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.087 s		AND B B B W W W W W W W W W W W W W W W W		
	10	Then verify the field Original Requested Tenure should be in read only mode	PASSED	0.033 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.087 s
		screenshot		


#	Step / Hook Details	Status	Duration
	BANDO DE DI 1000 DE DI		
11	Then verify the field Original Requested Amount should be in read only mode	PASSED	0.019 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
	DATE OF THE PROPERTY OF THE PR		
12	Then verify the functionality of save button under section Appeal Request	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	Screenshot		
13	Then verify system should display validation message for invalid data post clicking on save button under section Appeal Request	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
	AND BELLO SALON BE		
14	Then verify system display the confirmation message post clicking on save button under section Appeal Request	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		

#	Step / Hook Details	Status	Duration
	A ASSATO Secretary S		
15	Then verify system should display proper validation message to enter new requested amount and Tenure	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
	ALBATTO Probability Prob		
16	Then verify the Functionality of Appeal button	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
	A ASSATO Section 2 of 1 of		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

