


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	1 m 5.647 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify the Customer Address Information Parameter details	12	11	1	0	1 m 5.641 s
	Address Details screen	List view					

DETAILED SECTION -- 4 --

## (F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 1 m 5.647 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 12:17:51.478	AM // 12:18:57.125 AM /	Pass - 0	1	Pass - 11	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Verify the Customer Address Information Parameter details List view



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.785 s
	screenshot		
	AZENTIO  Milestral  OPEN		
2	And User Login as maker	PASSED	3.886 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		


3 Then user should click on the menu toggle  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  0.508 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  0.508 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  0.163 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  pASSED  1.433 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		□ AINTO  □ B Ø B WAS WES WES Ø Ø ♥  □ C B Ø B WAS WES WES Ø Ø ♥  □ C B Ø B WAS WES WES Ø Ø ♥  □ C B Ø B WAS WES WES Ø Ø ♥  □ C B Ø B WAS WES WES Ø Ø ♥  □ C B Ø B WAS WES WES Ø Ø ♥  □ C B Ø B WAS WES WES WES Ø Ø ♥  □ C B Ø B WAS WES WES WES WES WES WES WES WES WES WE		
Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.508 s  0.591 s  1.433 s	3		PASSED	1.645 s
4 Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.508 s  0.591 s  0.163 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  1.433 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
4 Then click on inbox to search for the Customer Address Details record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.508 s  0.591 s  0.591 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.591 s  0.591 s  1.433 s		C		
5 Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  1.433 s	4	Then click on inbox to search for the Customer Address Details record	PASSED	0.508 s
5 Then click on search button to search the record of Customer Address Details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  1.433 s			PASSED	0.591 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot		## ACCUPATION  ## ACC		
screenshot	5	Then click on search button to search the record of Customer Address Details	PASSED	0.163 s
□ ASSPTIC  □ D D D D D D D D D D D D D D D D D D		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.433 s
AZENTO  C C P I (NO) (NO) (NO) (NO) (NO) (NO) (NO) (NO)		screenshot		
● → → ○ ▼ ▼ ○ ▼ ○ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑		Secondary   Seco		
6 Then enter the reference id of the Customer Address Details record PASSED 0.110 s	6	Then enter the reference id of the Customer Address Details record	PASSED	0.110 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Cartillo		
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
	*** CANATO***  *** OF 10 *		
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.755 s
	screenshot		
	STATUTO  OF \$9 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.565 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.190 s
	screenshot		
	After Drah		
10	Then select the record of Address details from the customer identification screen	PASSED	1.714 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.808 s
	screenshot		


#	Step / Hook Details	Status	Duration
	ADMINISTRATION OF STATE OF STA		
11	Then Verify the functionality of Back button on List view of Customer Address details	PASSED	2.058 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
	ACCEPTION  ADDITION TO THE PROPERTY OF THE PRO		
12	Then verify search box should display matching record with matched data of Customer Address details	FAILED	2.426 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <i _ngcontent-hkn-c312="" class="pi pi-times ng-star-inserted">-(*)* is not clickable at point (1092, 175). Other element would receive the click: span _ngcontent-hkn-c312="" class="headertemp"&gt;-(*)* is not clickable at point (1092, 175). Other element would receive the click: span _ngcontent-hkn-c312="" class="headertemp"&gt;-(*)* (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [3423d200e2a54c2b690d19c1afa422a7, clickElement (id=cb74cf6a-a1e1-4b75-be17-0d09b69fbf5b)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:USers\UNINDC-1\AppDataL), goog:chromeOptions: (debuggerAddress: localhost:56020), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56020/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (3423d200e2a54c2b690d19c1afa422a7)] -&gt; xpath: (//i[@class='pi pi-times ng-star-inserted'])[2]] Session ID: 3423d200e2a54c2b690d19c1afa422a7  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelagatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Windows)  at java.base/java.lang.reflect.Constructor.newInstance(</i>		

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.CustomerAddressDetails. verify_search_box_should_display_matching_record_with_matched_data_of_customer_address_details(CustomerAddressDetails.java:544) at ?.verify search box should display matching record with matched data of Customer Address details(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:106) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.176 s








EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

