Cucumber Report

07-Nov-2022, 10:46:26 am

| *Start : Nov 07, 10:45:31.791 am*	*End : Nov 07, 10:46:23.444 am*	*Duration : 51.653 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 11
1	1	14
0 %	0 %	14 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	51.653 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses record with valid data	14	2	1	11	51.583 s

(F)- Check the functionality of Living Expenses Master

| FAILED	DURATION - 51.653 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 10:45:31.791 am // 10:46:23.444 am /		Pass - 0	1	Pass - 2	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

(S)- Creation of Living Expenses record with valid data

FAILED	DURATION - 51.583 s		Steps	
/ 10:45:31.861 am // 10:46:23.444 am /			Total - 14	14
Check the functionality of Living Expenses Master			Pass - 2	
			Fail - 1	
@AT_LE_001_Creation			Skip - 11	

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	28.977 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.585 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.704 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.598 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click on Other Masters Tab	FAILED	0.259 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Other Masters')]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1fb755c10434dcb132eaa92b801c5761, findElement {using=xpath, value=//ion-label[contains(text(),'Other Masters')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53239}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53239/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1fb755c10434dcb132eaa92b801c5761
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)
	   at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)
	   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)
	   at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)
	   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	   at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)
	   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	   at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)
	   at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)
	   at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)
	   at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)
	   at stepdefinitions.LivingExpense_Master.user_click_on_other_masters_tab(LivingExpense_Master.java:39)		

#	Step / Hook Details	Status	Duration
	at ?.user click on Other Masters Tab(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:6) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.360 s
4	And user click on List view Icon of Living Expenses	SKIPPED	0.001 s
5	And user click on Add Icon for Living Expenses	SKIPPED	0.001 s
6	And user Enter value in Description and verify it	SKIPPED	0.000 s
7	And user Enter value in Description2 and verify it	SKIPPED	0.002 s
8	And user Enter value in Description3 and verify it	SKIPPED	0.001 s
9	And user select Rule value and verify it	SKIPPED	0.001 s
10	And user choose Calender Effective Date and verify it	SKIPPED	0.000 s
11	And user save the Record in Living Expenses	SKIPPED	0.001 s
12	And user goto the Maker Inbox and store the Referance ID	SKIPPED	0.001 s
13	Then user Click on Action Icon	SKIPPED	0.000 s
14	And user verify the submit button and submit the Record from Maker stage	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with valid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with valid data

(F) Check the functionality of Living Expenses Master