

Cucumber Report

Jul 22, 2022, 12:23:19 AM

Start : Jul 22, 12:22:13.666 AM

End : Jul 22, 12:23:18.413 AM

Duration : 1 m 4.747 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 19


FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	1 m 4.747 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	21	19	1	1	1 m 4.744 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 1 m 4.747 s	Scenarios		Steps	
/ 12:22:13.666 AM // 12:23:18.413 AM /		Total - 1		Total - 21	
		Pass - 0		Pass - 19	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	




(S)- verify Checker user is able to Approve the record





<div>FAILED</div> <div>DURATION - 1 m 4.744 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 12:22:13.669 AM // 12:23:18.413 AM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_Approve_Reject_Return</div>				



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.569 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	5.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	4.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	3.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
			
12	Then validate Success pop up	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
			
13	Then click on inbox	PASSED	3.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
			
14	And open record for Approve	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	8.452 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
16	Then Logout from Maker	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		
			
17	And User Login as Checker	PASSED	10.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
			
18	Then click on Menu	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	Then click on inbox	PASSED	3.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
			
20	Then Open the record to approve it	FAILED	1.027 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'5663')]/../td/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dbb67451f740d0b7c03f05f9889222dd, findElement {using=xpath, value=//span[contains(text(),'5663')]/../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\goog:chromeOptions: {debuggerAddress: localhost:61057}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61057/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: dbb67451f740d0b7c03f05f9889222dd</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.open_the_record_to_approve_it(ProductMaster_Retail.java:338) at ?.Open the record to approve it(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:109) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
	screenshot		
			
21	Then approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) verify Checker user is able to Approve the record</u></p>		
<p><u>(F) Product Master Retail Functionality</u></p>		
<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) verify Checker user is able to Approve the record</u></p>		
<p><u>(F) Product Master Retail Functionality</u></p>		

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

+

Q

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep12	desc11	R	Active
	98303275	dep10	dep10	R	Active
	98303275	dep05	dep05	R	Active
	98303275	dep04	desc11	R	Active
	98303275	dep03	dep03	R	Active

Showing 1 to 5 of 100 entries

<<

<

1

2

3

4

5

>

>>

5

>

(F) Product Master Retail Functionality

English ▾
LOS ▾
Azentio Software ▾

Puneet
01-Sep-2023

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

Product Master

Product Group *

Lending ▾

Product Description *

Select

DM Code

Deposits

Lending ✓

Trade

Treasury

Product Code *

Retail/Corporate *


Select ▾

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'A', 'Product Description' with a text input field containing 'OK', 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' with a dropdown menu showing 'Lending', 'Product Code' with a text input field containing 'A', 'Product Description' with a text input field containing 'OK', 'Retail/Corporate' with a dropdown menu showing 'Select', 'DM Code' with a text input field, and 'Remarks' with a large text area. The form is styled with a clean, modern design using white and light gray colors.

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet
01-Sep-2023

<

Product Master

Product Master

Product Group *

Lending

Product Description *

OK

DM Code

Remarks

Product Code *

A

Retail/Corporate *

Retail

Select

Corporate

Retail

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup

Asset Auto Master
Asset CD Master
Product master
Sub Product Master

Regulatory Product Defini...
Project Setup
Confin Manager

EnglishLOSAzentio Software

Puneet
01-Sep-2023

<

Product Master

+ ⓘ

Product Group *Lending

Product Code *A

Product Description *OK

Retail/Corporate *Retail

DM Code

RemarksHomeLoan

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio Product Master interface. The left sidebar contains a navigation menu with options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area shows a table of product records with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table lists five records, all with a status of 'Active'. A success message 'success' is visible in the top right corner. The bottom of the table shows pagination: 'Showing 1 to 5 of 124 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303275	dep05	desc11	R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

This screenshot is identical to the one above, showing the Azentio Product Master interface with the same navigation menu, table of product records, success message, and pagination.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303249	A	OK	R	Active	CHECKER
	98303275	dep05	desc11	R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left is a dark blue sidebar with the Azentio logo at the top. Below the logo are several menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area on the right is titled 'Inbox' and shows a search bar and a table with 0 entries. The top navigation bar includes a mail icon, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a bell icon, and a user profile for Puneet (01-Sep-2023).

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface, similar to the one above, but with a list of records in the 'Inbox' section. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The first record is highlighted with an orange border.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5663	PRODUCT_MST	MAKER	LOSMKR	in00135	22-Jul-2022 0:22	TSW	
	5656	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 20:19	TSW	
	5652	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 20:6	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:52	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	

(F) Product Master Retail Functionality

☰

🔍

🗑️

📁

📧

English

LOS

Azentio Software

👤

🔔

Puneet

01-Sep-2023

Profile

🔍

Inbox


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5656	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 20:19	TSW	
	5652	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 20:16	TSW	
	5638	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 19:52	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record











(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record











(F) Product Master Retail Functionality

Inbox								
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5662	PRODUCT_MST	CHECKER	LOSCHK	in01951	22-Jul-2022 0:16	TSW	
	5650	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:33	TSW	
	5649	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:32	TSW	
	5639	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:30	TSW	
	5648	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:29	TSW	
	5645	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:24	TSW	
	5643	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:21	TSW	
	5642	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:19	TSW	
	5637	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 18:59	TSW	
	5591	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 12:56	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

Inbox								
Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5662	PRODUCT_MST	CHECKER	LOSCHK	in01951	22-Jul-2022 0:16	TSW	
	5650	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:33	TSW	
	5649	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:32	TSW	
	5639	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:30	TSW	
	5648	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:29	TSW	
	5645	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:24	TSW	
	5643	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:21	TSW	
	5642	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 19:19	TSW	
	5637	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 18:59	TSW	
	5591	PRODUCT_MST	CHECKER	LOSCHK	in01951	21-Jul-2022 12:56	TSW	