


FEATURES SUMMARY -- 2 --




#	Feature Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	1	0	1	0	32.251 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functional flow for	To verify the functional flow for customer entity layout facility	25	13	1	11	32.248 s
	customer entity layout facility details	details					

**DETAILED SECTION** 

## (F)- To verify the functional flow for customer entity layout facility details



## (S)- To verify the functional flow for customer entity layout facility details



#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in transaction	PASSED	11.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	TO ACCUPATION OF A P ST		
2	And User click the inbox mail icon in application detail offering	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
	PARCETION IN PARCE		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot  And User click the facility info tab in customer entity layout facility details  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.205 s  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.742 s  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.742 s	3	And User click the action edit icon in customer entity layout facility details	PASSED	2.287 s
4 And User click the facility info tab in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.121 s  PASSED  0.205 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s			PASSED	0.247 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.775 s		*** AZERTIS  ***********************************		
screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s	4	And User click the facility info tab in customer entity layout facility details	PASSED	5.182 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And User click the back button in customer entity layout facility details  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.481 s
5 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And User click the back button in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.275 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And User click the back button in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.369 s  0.369 s  0.369 s		A SENTO  1		
screenshot  And User click the back button in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.121 s  0.205 s  0.205 s	5	And User click the add icon in customer entity layout facility details	PASSED	0.097 s
6 And User click the back button in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.369 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.205 s  0.205 s  0.205 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.205 s  0.205 s  0.205 s				
7 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  0.275 s	6	And User click the back button in customer entity layout facility details	PASSED	0.121 s
7 And User click the add icon in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.742 s  0.275 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s	7	And User click the add icon in customer entity layout facility details	PASSED	0.742 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
Succional		screenshot		

8 And User enter the primary product in customer entity layout facility details  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And User enter the primary sub product in customer entity layout facility details  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  1.205 s  PASSED  0.231 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And User enter the primary sub product in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And User enter the scheme in customer entity layout facility details  PASSED  0.268 s  1.205 s  PASSED  0.231 s  0.231 s  PASSED  0.360 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.360 s  PASSED  0.360 s		** O TOTAL OF THE PARTY OF THE		
screenshot  9 And User enter the primary sub product in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And User enter the scheme in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.360 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s	8	And User enter the primary product in customer entity layout facility details	PASSED	2.255 s
9 And User enter the primary sub product in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And User enter the scheme in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.360 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And User enter the scheme in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.231 s  0.231 s  0.231 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And User enter the scheme in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.231 s  0.231 s  0.231 s		ADMINISTRATION OF THE PART OF		
Screenshot  10 And User enter the scheme in customer entity layout facility details  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.360 s  PASSED  0.234 s	9		PASSED	1.205 s
10 And User enter the scheme in customer entity layout facility details  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.360 s  0.234 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.234 s		CONTINUE OF A SECOND SE		
	10	And User enter the scheme in customer entity layout facility details	PASSED	0.360 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
■ ASSITIO		screenshot		
Sample of the control		TOTAL PRINTS  SEE STATE OF THE PRINTS OF THE		
11 And User enter the program code in customer entity layout facility details PASSED 0.249 s	11	And User enter the program code in customer entity layout facility details	PASSED	0.249 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.231 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	1	screenshot	1	1 1


#	Step / Hook Details	Status	Duration
	ASERTIC		
12	And User enter the facility type in customer entity layout facility details	PASSED	0.780 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot	1	
13	And User enter the servicing branch in customer entity layout facility details	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
	A SENTIO		
14	And User enter the pricing or interest indicator in customer entity layout facility details	FAILED	1.158 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select_ngcontent-gbi-c320="" ng-reflect-cancel-text="CANCEL" ng-reflect-disabled="false" ng-reflect-interface="popover" ng-reflect-jase"="" ng-reflect-jase<="" ng-reflect-multiple="false" ng-reflect-oktext="OK" ng-reflect-placeholder="Select" td=""><td></td><td></td></ion-select_ngcontent-gbi-c320="">		


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessoris.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_enter_the_pricing_or_interest_indicator_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:226) at ?.User enter the pricing or interest indicator in customer entity layout_facility details(file:///C./Users/inindc00071/git/repositoryKarthiM/mKarthi_AzentioULSFramework3/src/test/java/features/Customer_Entity_Layout_FacilityDetails.feature:18) *Not displayable charact		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	Screenshot     SETTIO		
15	And User enter the declared asset value in customer entity layout facility details	SKIPPED	0.000 s
16	And User enter the declared down payment amount in customer entity layout facility details	SKIPPED	0.000 s
17	And User enter the requested amount in customer entity layout facility details	SKIPPED	0.000 s
18	And User enter the currency in customer entity layout facility details	SKIPPED	0.000 s
19	And User enter the expiry date in customer entity layout facility details	SKIPPED	0.000 s
20	And User enter the loan tenure month in customer entity layout facility details	SKIPPED	0.000 s
21	And User click the save icon in customer entity layout facility details	SKIPPED	0.000 s
22	And User get the save confirmation messege in customer entity layout facility details	SKIPPED	0.000 s
23	Then User click the action edit icon in conventional facility details	SKIPPED	0.000 s

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
24	And User verify the primary product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s
25	And User verify the primary sub product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

