

Cucumber Report

Aug 12, 2022, 5:53:08 PM

Start : Aug 12, 5:51:14.780 PM

End : Aug 12, 5:53:04.287 PM

Duration : 1 m 49.507 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>UnderWriter Offset Control Functionality</u>	1	0	1	0	1 m 49.507 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>UnderWriter Offset Control Functionality</u>	<u>System should display the proper validation post entering the invalid data and clicking on save button</u>	22	9	1	12	1 m 49.501 s





(F)- UnderWriter Offset Control Functionality





FAILED	DURATION - 1 m 49.507 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 9 Fail - 1 Skip - 12	
/ 5:51:14.780 PM // 5:53:04.287 PM /					

(S)- System should display the proper validation post entering the invalid data and clicking on save button

FAILED	DURATION - 1 m 49.501 s		Steps Total - 22 Pass - 9 Fail - 1 Skip - 12	
/ 5:51:14.786 PM // 5:53:04.287 PM /				
UnderWriter Offset Control Functionality				
@UnderWriter_Offset_Control				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	13.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.850 s
	screenshot		
			
2	And User Login as maker	PASSED	11.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.881 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on the Business Rule	PASSED	0.966 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.699 s
	screenshot		
			
4	Then click on the UnderWriter Offset Control eye icon	PASSED	1.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.987 s
	screenshot		
			
5	Then Modify the UnderWriter Offset Control approved record	PASSED	7.541 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
			
6	Then save the record	PASSED	4.964 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on the inbox	PASSED	1.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.532 s
	screenshot 		
8	And search UnderWriter Offset Control record from inbox	PASSED	2.006 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	screenshot 		
9	Then maker user open the UnderWriter record from inbox	PASSED	1.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.548 s
	screenshot 		
10	And maker user submit the UnderWriter record	FAILED	30.101 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //body/div/div/div/div/button' (tried for 20 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103)		

#	Step / Hook Details	Status	Duration
	<p>at stepdefinitions.UnderWriter_Offset_Control.make_user_submit_the_underwriter_record(UnderWriter_Offset_Control.java:154) at ?.make user submit the UnderWriter record(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/UnderWriter_Offset_Control.feature:14)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/body/div/div/div/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8700ce897f01d3080898bdfc6c6483fa, findElement {using=xpath, value=/body/div/div/div/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:/Users/ININDC~1/AppData/L...}, goog:chromeOptions: {debuggerAddress: localhost:51142}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:51142/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8700ce897f01d3080898bdfc6c6483fa</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:103) at stepdefinitions.UnderWriter_Offset_Control.make_user_submit_the_underwriter_record(UnderWriter_Offset_Control.java:154) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p>		


#	Step / Hook Details	Status	Duration
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.282 s
11	Then user logout from the application	SKIPPED	0.000 s
12	And User Login as Checker	SKIPPED	0.000 s
13	Then click on the inbox	SKIPPED	0.000 s
14	And search UnderWriter Offset Control record from inbox	SKIPPED	0.000 s
15	Then checker open the record from inbox	SKIPPED	0.000 s
16	Then checker approve the record	SKIPPED	0.000 s
17	Then user logout from the application	SKIPPED	0.000 s
18	And User Login as maker	SKIPPED	0.001 s
19	Then click on the Business Rule	SKIPPED	0.000 s
20	Then click on the UnderWriter Offset Control eye icon	SKIPPED	0.000 s
21	Then Validate the aapproved record	SKIPPED	0.000 s
22	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button


(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button


(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button


(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)











(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

Action	Minimum Value	Maximum Value	Status	Current Stage
 	9000	5555555	Active	
 	55555	5555555	Active	
 	55554	5555555	Active	
 	55554	5555555	Active	
 	8888	888888	Active	MAKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality




















The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with the following items: Dashboard, Configurations (expanded), Asset Collateral Config, Business Rules, UnderwriterOffsetControl (with a clock icon and a checkmark), Approval Reviewer Level Matrix (with a clock icon and a checkmark), Checklist Master (with a clock icon and a checkmark), Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area is titled 'Inbox' and shows 'Action' with a search bar. Below the search bar, it says 'Showing 0 to 0 of 0 entries' with navigation arrows and a dropdown set to '10'. A blue circular button with a gear icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

The screenshot shows the AZENTIO ONEBanking application interface. The left sidebar menu is identical to the previous screenshot. The main area is titled 'Inbox' and shows a search bar with the text 'UW_OFFSET_CONTROL'. Below the search bar, it says 'Showing 1 to 10 of 1079 entries' with navigation arrows and a dropdown set to '10'. The inbox contains 10 entries, each with a row of icons (a person icon, a clock icon, and a checkmark icon) followed by columns for Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product.

	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
  	255	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	12-Aug-2022 17:51	TSW	
  	599	WAREHOUSE_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:37	TSW	
  	597	WAREHOUSE_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:33	TSW	
  	596	WAREHOUSE_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:32	TSW	
  	6105	PRODUCT_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:22	TSW	
  	423	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:18	TSW	
	259	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	12-Aug-2022 17:18	TSW	
	420	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:8	TSW	
	419	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:7	TSW	
	92	PROJECT_MST	MAKER	LOSMKR	in00135	12-Aug-2022 17:6	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

AZENTIO ONEBanking

Search the menu

Inbox

UW_OFFSET_CONTROL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the proper
validation post entering the invalid data
and clicking on save button

(F) UnderWriter Offset Control
Functionality

AZENTIO ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date
	259	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	12-Aug-2022 17:18
	258	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	12-Aug-2022 12:27
	257	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	12-Aug-2022 12:22
	251	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	12-Aug-2022 11:52
	247	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	11-Aug-2022 16:7 TSW
	246	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	11-Aug-2022 16:2 TSW
	245	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	11-Aug-2022 16:1 TSW
	240	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	11-Aug-2022 15:32 TSW
	239	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	11-Aug-2022 15:27 TSW
	235	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	11-Aug-2022 15:13 TSW

Showing 1 to 10 of 96 entries

1 2 3 4 5 > >> 10

Branch Code: AZENTMAIN
Puneet
in00135
Last Login: 22 Feb, 2022 | 14:06
Change Password
Setting
Logout