Cucumber Report

Start : Aug 25, 6:03:07.801 pm	End : Aug 25, 6:03:30.095 pm	Duration : 22.294 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	22.294 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses record with invalid data	9	9	0	0	22.288 s

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 22.294 s	Scenarios		Steps	
/ 6:03:07.801 pm // 6:03:30.095 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 9 Pass - 9 Fail - 0 Skip - 0	9

(S)- Creation of Living Expenses record with invalid data

PASSED	DURATION - 22.288 s		Steps	
/ 6:03:07.807 pm // 6:03:30.095 pm /			Total - 9	
Check the functionality of Living Expenses Master			Pass - 9	9
@AT_LE_005_Validation			Fail - 0 Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	10.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.409 s
2	Then user click on configurations Tab	PASSED	0.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.284 s

#	Step / Hook Details	Status	Duration
3	And user click on Other Masters Tab	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot 		
4	And user click on List view Icon of Living Expenses	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.700 s
	screenshot 		
5	And user click on Add Icon for Living Expenses	PASSED	0.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot 		
6	And user save the Record in Living Expenses	PASSED	2.456 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user verify the Blank field in Living Expense	PASSED	0.040 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.195 s
8	And user Enter Invalid value in Description2 and verify it	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.204 s
9	And Validate the Message and verify it	PASSED	0.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.178 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

AZENTIO
ONEBanking

Engl... LOS Aze...

Search the menu

- Dashboard
- Configurations
  - Corporate Masters
  - Misc Config
  - Other Masters
    - Insurance Master
    - Facility Type
    - Living Expense
    - QuestionnaireMaster
  - Product Definitions
  - Product Setup
- Transactions

Living Expense Definition

Living Expense Definition

Description *

Required field

Description2 *
@#$%^&
Alphanumeric characters allowed

Description3 *

Required field

Rule
Select

Effective Date *

Please fill all the details