Cucumber Report

| Start : Oct 26, 3:00:25.546 pm	End : Oct 26, 3:01:07.303 pm	Duration : 41.757 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 17 FAILED - 1 SKIPPED - 4

Features: 1

Scenarios: 1

Steps: 22

Pass %: 0 %

Pass %: 0 %

Pass %: 77 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	1	0	1	0	41.757 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Allocation Masater	To verify user can able to update the allocation master record before approval	22	17	1	4	41.750 s

(F)- Check the functionality of the Allocation Masater

FAILED	DURATION - 41.757 s		Scenarios		Steps	
	/ 3:00:25.546 pm // 3:01:07.303 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	**1**	Total - 22 Pass - 17 Fail - 1 Skip - 4	**22**

(S)- To verify user can able to update the allocation master record before approval

| FAILED	DURATION - 41.750 s		Steps	
	/ 3:00:25.553 pm // 3:01:07.303 pm /		Total - 22 Pass - 17 Fail - 1 Skip - 4	**22**
	Check the functionality of the Allocation Masater			
	@AT_ALM_006			

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS application	PASSED	15.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.906 s
	screenshot +		
2	Then user click on configurations Tab	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot +		

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.433 s
	screenshot		
4	And click on temp view near by allocation master screen	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
5	And select the first record of temp view in allocation master screen	PASSED	1.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.738 s
	screenshot		
6	Then verify user can able to see the save button in allocation master screen	PASSED	0.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
7	Then verify user can able to see the back button in allocation master screen	PASSED	0.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	Then verify user can able to see the Description field in allocation master screen	PASSED	0.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
9	Then verify user can able to see the allocation code in allocation master screen	PASSED	0.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
10	Then verify user can able to see the Status field in allocation master screen	PASSED	0.061 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
11	And update the description field in allocation master	PASSED	1.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And update the allocation code field	PASSED	0.488 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
13	And click on save button to update the allocation master record	PASSED	0.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.759 s
	screenshot		
14	And Validate the sucess popup	PASSED	0.662 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.414 s
	screenshot		
15	And click on mail box find the allocation master record	PASSED	4.763 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		

#	Step / Hook Details	Status	Duration
16	And search the allocation module event code	PASSED	0.736 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
17	And select the allocation master first record	PASSED	0.463 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.424 s
	screenshot		
18	Then verify updated record visible for submission	FAILED	0.692 s

	java.lang.AssertionError: expected [DescU1] but found [asd]
	    at org.testng.Assert.fail(Assert.java:99)
	    at org.testng.Assert.failNotEquals(Assert.java:1037)
	    at org.testng.Assert.assertEqualsImpl(Assert.java:140)
	    at org.testng.Assert.assertEquals(Assert.java:122)
	    at org.testng.Assert.assertEquals(Assert.java:629)
	    at org.testng.Assert.assertEquals(Assert.java:639)
	    at stepdefinitions.ULS_AllocationMasterSteps.verify_updated_record_visible_for_submission(ULS_AllocationMasterSteps.java:163)
	    at ?.verify updated record visible for submission(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Allocation_Mst.feature:150)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	And click on submit button to submit the record	SKIPPED	0.000 s
20	And enter the alert remark in allocation master record	SKIPPED	0.000 s
21	And click on alert submit button in allocation master record	SKIPPED	0.001 s
22	And get the checker id for allocation master record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
allocation master record before approval

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
allocation master record before approval

(F) Check the functionality of the
Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user can able to update the allocation master record before approval

(F) Check the functionality of the Allocation Masater