

Cucumber Report

13-Oct-2022, 2:37:05 pm

Start : Oct 13, 2:36:15.336 pm

End : Oct 13, 2:36:57.138 pm

Duration : 41.802 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	41.802 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>verify the functionality of Activate/Deactivate button</u>	10	6	1	3	41.797 s


(F)- check the functionality of the Warehouse Master

FAILED	DURATION - 41.802 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 6 Fail - 1 Skip - 3	
/ 2:36:15.336 pm // 2:36:57.138 pm /					


(S)- verify the functionality of Activate/Deactivate button

FAILED	DURATION - 41.797 s		Steps Total - 10 Pass - 6 Fail - 1 Skip - 3	
/ 2:36:15.341 pm // 2:36:57.138 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T009_Active_Deactive				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	20.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
	screenshot		
			
4	And user click Temp view icon of Warehouse Master	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.454 s
	screenshot		
			
5	And user click on First Record Edit icon	PASSED	4.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.321 s
	screenshot		
			
6	And user verify the status button	PASSED	2.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
7	And user verify the status is Active	FAILED	1.277 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-toggle _ngcontent-vvi-c322="" mode="md" ng-reflect-mode="md" ng-reflect-model="1" ng-reflect-color="primary" ng-reflect-ng-class="[object Object]" ng-reflect-disabled="true" ng-reflect-		


#	Step / Hook Details	Status	Duration
	<p>is-disabled="true" class="readonly ng-untouched ng-pristine ion-untouched ion-pristine ion-color ion-color-primary md in-item toggle-checked toggle-disabled interactive hydrated" aria-checked="true" aria-hidden="true" role="switch" color="primary">...</ion-toggle> is not clickable at point (302, 574). Other element would receive the click: <ion-col _ngcontent-vvi-c611="" class="fldouterspacing ng-star-inserted md hydrated" size="6" size-sm="6" size-md="6" size-lg="6" size-xl="6" style="flex: 0 0 calc(calc(6 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(6 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(6 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=105.0.5195.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3dcd2b94df59b0e8cfc8aea00fb847cf, clickElement {id=131f2d33-495c-4a7f-93c0-9b28d2437e77}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:60415}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60415/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3dcd2b94df59b0e8cfc8aea00fb847cf)] -> xpath: //ion-item[1]/ion-toggle[1]] Session ID: 3dcd2b94df59b0e8cfc8aea00fb847cf</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.WareHouseMaster.user_verify_the_status_is_active(WareHouseMaster.java:749) at ?.user verify the status is Active(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:301) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And user click on the update button	SKIPPED	0.000 s
9	And user click Temp view icon of Warehouse Master	SKIPPED	0.000 s
10	And user verify the status is Deactive	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and a menu containing: Dashboard, Configurations (with sub-items: Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master), Transactions, and Reports. The main area is titled 'Warehouse Master' and contains a table with columns: Action, Description, Address, Country, State, City, Zip Code, Phone 1, Fax, E-mail, Contact Person, Status, and Current Stage. The table lists five entries, all with 'Active' status. At the bottom right of the table area is a circular button with a gear icon. The top right of the interface shows language (Engl...), LOS, Aze..., and a user profile icon.

Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status	Current Stage
	HNK_DESC	HNK_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	azentio@gmail.com	MEEE	Active	
	HNK_DESC	Return_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	return@gmail.com	MEEE	Active	MAKER
	HNK_DESC	Return_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	return@gmail.com	MEEE	Active	CHECKER
	HNK_DESC	Reject_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	reject@gmail.com	MEEE	Active	CHECKER
	HNK_DESC	Reject_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	reject@gmail.com	MEEE	Active	CHECKER

Showing 1 to 5 of 38 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONE Banking interface with the 'Warehouse Master' form. The left sidebar is identical to the previous screenshot. The main area is titled 'Warehouse Master' and contains a form with the following fields: Description (HNK_DESC), Country (INDIA), State (Maharashtra), Location (Thane), Zip Code (PIN57946), Phone 1 (9876543210), Fax (4654321), E-Mail (azentio@gmail.com), Contact Person (MEEE), and Status (toggle switch). The top right of the interface shows language (Engl...), LOS, Aze..., and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the functionality of
Activate/Deactivate button

(F) check the functionality of the
Warehouse Master

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

Warehouse Master

Description *

HNK_DESC

Country *

INDIA

Location *

Thane

Phone 1

9876543210

E-Mail

azentio@gmail.com

Status

Address *

HNK_ADDRESS

State *

Maharashtra

Zip Code *

PIN57946

Fax

4654321

Contact Person

MEEE