

# Cucumber Report

Jul 21, 2022, 9:19:11 AM

Start : Jul 21, 9:18:34.211 AM

End : Jul 21, 9:19:10.897 AM

Duration : 36.686 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 11  
FAILED - 1  
SKIPPED - 25







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	36.686 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	37	11	1	25	36.683 s

**(F)- Product Master Retail Functionality**

<b>FAILED</b>	<b>DURATION - 36.686 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 37 Pass - 11 Fail - 1 Skip - 25	
/ 9:18:34.211 AM // 9:19:10.897 AM /					



**(S)- verify Checker user is able to Approve the record**


<div>FAILED</div> <div>DURATION - 36.683 s</div>		<div></div>	<div>Steps</div> <div>Total - 37</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 25</div>	<div></div>
<div>/ 9:18:34.214 AM // 9:19:10.897 AM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_Approve_Reject_Return</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.377 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	5.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	4.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	3.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
			
12	Then validate Success pop up	FAILED	0.021 s
	<p>org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f5c78d7aa6ce9a6936bf609f6460da86, executeScript {script=return document.querySelector("ion-toast").shadowRoot.querySelector("div[class='ng-tns-c143-29 toast-message ng-star-inserted']").innerText, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:62787}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62787/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f5c78d7aa6ce9a6936bf609f6460da86</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)  at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)  at stepdefinitions.ProductMaster_Retail.validate_success_pop_up(ProductMaster_Retail.java:225)</p>		

#	Step / Hook Details	Status	Duration
	<p>at ?.validate Success pop up(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:72)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.129 s
13	Then click on inbox	SKIPPED	0.000 s
14	And open the record	SKIPPED	0.001 s
15	Then submit the Record	SKIPPED	0.000 s
16	Then click on Product Master eye icon	SKIPPED	0.000 s
17	Then click on Product Master add button	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
19	Then Enter Product Code for reject	SKIPPED	0.000 s
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then click on inbox	SKIPPED	0.000 s
25	And open the record	SKIPPED	0.000 s
26	Then submit the Record	SKIPPED	0.000 s
27	Then click on Product Master eye icon	SKIPPED	0.000 s
28	Then click on Product Master add button	SKIPPED	0.000 s
29	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
30	Then Enter Product Code for Return	SKIPPED	0.000 s
31	Then Enter Product Description	SKIPPED	0.000 s
32	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
33	Then verify the field Remarks	SKIPPED	0.000 s
34	Then click on save button	SKIPPED	0.001 s
35	Then validate Success pop up	SKIPPED	0.000 s
36	And open the record	SKIPPED	0.000 s
37	Then submit the Record	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot displays the Azentio Software interface. The top navigation bar includes a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), a grid icon, a notification bell, a user profile (Puneet, 01-Sep-2023), and a dark mode toggle. The sidebar menu on the left lists various configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is currently blank, showing only a large white space with a few faint circular loading indicators and a small blue icon in the bottom right corner.


(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality

The screenshot displays the Azentio Software interface with the 'Product wise Analysis' dashboard. The top navigation bar and sidebar menu are identical to the previous screenshot. The main content area is titled 'Product wise Analysis' and contains three panels: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. Each panel shows a large white space with a faint circular loading indicator. At the bottom of the dashboard, there is a small blue icon and the text 'Powered by Metabase'.

## (F) Product Master Retail Functionality



## (F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists product entries with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 230 entries' with pagination controls.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	desc16		R	Active
	98303275	desc15		R	Active
	98303275	xy		R	Active
	98303275	HFL	Housing Finance LTD	I	Active
	98303249	LCCM	Letter of Credit		Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the first screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back arrow and a red notification icon. The form contains several fields: Product Group (dropdown menu showing 'Lending'), Product Code (text input), Product Description (dropdown menu showing 'Select'), Retail/Corporate (dropdown menu showing 'Select'), DM Code (dropdown menu showing 'Lending'), and Remarks (text area). A 'Trade' option is also visible in the DM Code dropdown.

### (F) Product Master Retail Functionality

English ▼LOS ▼Azentio Software ▼

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group \*

Lending ▼

Product Description \*

DM Code

Remarks




Product Code \*


A

Retail/Corporate \*


Select ▼

## (F) Product Master Retail Functionality

English LOS Azentio Software 




Puneet

01-Sep-2023


Product Master

Product Master

Product Group \*

Lending

Product Description \*

OK


DM Code

Remarks

Product Code \*

A


Retail/Corporate \*

Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality




The screenshot shows the Azentio Product Master form. The form has a header with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: Product Group (Lending), Product Code (A), Product Description (OK), and DM Code. The 'Retail/Corporate' dropdown menu is open, showing options: Select, Corporate, and Retail (which is selected). There is also a Remarks field.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



The screenshot shows the Azentio Product Master form. The form has a header with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: Product Group (Lending), Product Code (A), Product Description (OK), and DM Code. The 'Retail/Corporate' dropdown menu is open, showing options: Select, Corporate, and Retail (which is selected). There is also a Remarks field containing the text 'HomeLoan'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table of products with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The bottom of the table shows pagination: 'Showing 1 to 5 of 144 entries' and a page selector with '1' selected. A green success message 'success' is visible in the top right corner.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A		R	Active	
	98303249	LML		R	Active	
	98303249	LLH		R	Active	
	98303275	Home loan		R	Active	
	98303249	AAA		R	Active	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. The sidebar on the left contains navigation options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table of products with the following columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with a status of 'Active'. The bottom of the table shows pagination: 'Showing 1 to 5 of 144 entries' and a page selector with '1' selected. A green success message 'success' is visible in the top right corner.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A		R	Active	
	98303249	LML		R	Active	
	98303249	LLH		R	Active	
	98303275	Home loan		R	Active	
	98303249	AAA		R	Active	