Cucumber Report

| Start : Sep 21, 2:31:43.559 PM	End : Sep 21, 2:33:29.827 PM	Duration : 1 m 46.268 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 17

#	Feature Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker Functionality	1	0	1	0	1 m 46.268 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Personal Details Disbursement Maker Functionality	To check the functionality of Personal Details Disbursement Maker	28	10	1	17	1 m 46.265 s

(F)- Personal Details Disbursement Maker Functionality

FAILED	DURATION - 1 m 46.268 s	Scenarios		Steps	
/ 2:31:43.559 PM // 2:33:29.827 PM /		Total - 1		Total - 28	
		Pass - 0	1	Pass - 10	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- To check the functionality of Personal Details Disbursement Maker

FAILED	DURATION - 1 m 46.265 s		Steps	
/ 2:31:43.562 PM // 2:33:29.827 PM /			Total - 28	
Personal Details Disbursement Maker Functionality			Pass - 10	28
			Fail - 1	
@PDDM			Skip - 17	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.450 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
2	And User Login as maker	PASSED	4.932 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on inbox	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
4	Then click on inbox search icon	PASSED	0.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
5	Then search Personal Details Disbursement Maker record	PASSED	1.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.076 s
	screenshot		
6	And maker user open the record from inbox	PASSED	1.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click on Customer Details Segment button	PASSED	2.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot 		
8	Then open Customer Details record	PASSED	2.151 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot 		
9	Then verify the field Customer Type	PASSED	16.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot 		
10	Then verify the field Applicant Type	PASSED	6.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then verify the field Salutation	FAILED	48.620 s

org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9243ee4f223f073fc36c2f1a4a2b60fb, findElement {using=xpath, value=//ion-col[4]/digital-select-layout[1]/ion-item[1]/ion-select[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64060}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64060/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9243ee4f223f073fc36c2f1a4a2b60fb

   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
   at jdk.proxy2/jdk.proxy2.$Proxy45.toString(Unknown Source)
   at java.base/java.lang.String.valueOf(String.java:4215)
   at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)
   at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:298)
   at java.base/java.lang.String.valueOf(String.java:4215)
   at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)
   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)

| #	Step / Hook Details	Status	Duration
	at stepdefinitions.PersonalDetails_DisbursementMaker.verify_the_field_salutation(PersonalDetails_DisbursementMaker.java:98) at ?.verify the field Salutation(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/PersonalDetails_DisbursementMaker.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.155 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9243ee4f223f073fc36c2f1a4a2b60fb, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64060}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64060/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9243ee4f223f073fc36c2f1a4a2b60fb
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)
	    at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		

12	Then verify the field First Name	SKIPPED	0.000 s
13	Then verify the field Middle Name	SKIPPED	0.001 s
14	Then verify the field Last Name	SKIPPED	0.000 s
15	Then verify the field Date Of Birth	SKIPPED	0.000 s
16	Then verify the field Gender	SKIPPED	0.000 s
17	Then verify the field Edcuation Level	SKIPPED	0.000 s
18	Then verify the field Marital Status	SKIPPED	0.000 s
19	Then verify the field Nationality	SKIPPED	0.000 s
20	Then verify the field Ethinicity	SKIPPED	0.000 s
21	Then verify the field Religion	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	Then verify the field Resident Status	SKIPPED	0.001 s
23	Then verify the field Language	SKIPPED	0.000 s
24	Then verify the field No of Dependents	SKIPPED	0.000 s
25	Then verify the field Mothers Maiden Name	SKIPPED	0.000 s
26	Then verify the field Type of Residence	SKIPPED	0.001 s
27	Then verify the field Category of Client	SKIPPED	0.000 s
28	Then verify the toggle BlackListed	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.257 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9243ee4f223f073fc36c2f1a4a2b60fb, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64060}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64060/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9243ee4f223f073fc36c2f1a4a2b60fb
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) To check the functionality of Personal Details Disbursement Maker

(F) Personal Details Disbursement Maker Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To check the functionality of Personal Details Disbursement Maker (F) Personal Details Disbursement Maker Functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To check the functionality of Personal Details Disbursement Maker (F) Personal Details Disbursement Maker Functionality	