Cucumber Report

02-Dec-2022, 6:30:36 pm

Start : Dec 02, 6:28:48.395 pm	End : Dec 02, 6:30:22.310 pm	Duration : 1 m 33.915 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 2









#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	1	0	1	0	1 m 33.915 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Project Ubit Details	verify user is able to modify Unit details record in the system	9	6	1	2	1 m 33.909 s

(F)- Check the functionality of the Project Ubit Details

FAILED	DURATION - 1 m 33.915 s	Scenarios		Steps	
/ 6:28:48.395 pm // 6:30:22.310 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 9 Pass - 6 Fail - 1 Skip - 2	

(S)- verify user is able to modify Unit details record in the system

FAILED	DURATION - 1 m 33.909 s		Steps	
/ 6:28:48.401 pm // 6:30:22.310 pm /			Total - 9 Pass - 6 Fail - 1 Skip - 2	
Check the functionality of the Project Ubit Details				
@AT_PM_T024.1				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	36.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	5.353 s
	screenshot		
	 +		
2	Then user change Application Type as Los	PASSED	4.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.784 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	Then user click on configurations Tab	PASSED	1.639 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.481 s
	screenshot		
			
4	When user click Config Manager menu	PASSED	0.851 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		
			
5	And user click on project master Temp view icon	PASSED	0.910 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.761 s
	screenshot		
			
6	And user click on List view Edit Icon	PASSED	2.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.012 s
	screenshot		
			
7	And user click on unit details Edit icon	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//ion-title[contains(text(),'Unit Details')]/ancestor::ion-card//button[@icon="pi pi-pencil"])[1]"} (Session info: chrome=108.0.5359.71) For		

#	Step / Hook Details	Status	Duration
	documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c5b9a7de23ff274aaaf5da1a2de007a7, findElement {using=xpath, value=(//ion-title[contains(text(),'Unit Details')]/ancestor::ion-card//button[@icon="pi pi-pencil"])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.71, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54117}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54117/devtoo..., se:cdpVersion: 108.0.5359.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c5b9a7de23ff274aaaf5da1a2de007a7 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921) at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49) at stepdefinitions.ProjectMaster_UnitDetails.user_click_on_unit_details_edit_icon(ProjectMaster_UnitDetails.java:227) at ?.user click on unit details Edit icon(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_ProjectMaster_UnitDetaill.feature:88)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  +	PASSED	5.309 s
8	And Click the toggle button and change status	SKIPPED	0.000 s
9	And user save the Record in unit Details and verify the Message	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) verify user is able to modify Unit details record in the system	
(F) Check the functionality of the Project Ubit Details	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) verify user is able to modify Unit details record in the system	
(F) Check the functionality of the Project Ubit Details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify user is able to modify Unit details record in the system	
(F) Check the functionality of the Project Ubit Details	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) verify user is able to modify Unit details record in the system	
(F) Check the functionality of the Project Ubit Details	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) verify user is able to modify Unit details record in the system

(F) Check the functionality of the Project Ubit Details



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) verify user is able to modify Unit details record in the system

(F) Check the functionality of the Project Ubit Details



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) verify user is able to modify Unit details record in the system	
(F) Check the functionality of the Project Ubit Details	