


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of Customer address details	1	0	1	0	52.043 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of Customer	verify system allow user to do a modification on already	12	10	1	1	52.037 s
	address details	approved record					

DETAILED SECTION

(F)- check the functionality of Customer address details

FAILED	DURATION - 52.043 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 2:49:49.723 pm	// 2:50:41.766 pm /	Pass - 0	1	Pass - 10	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- verify system allow user to do a modification on already approved record




#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	14.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.217 s
	screenshot		
	ASSENTIO IN P. P. P. SEC. 2002 2002 200 TH. THE SEC. SEC. SEC. SEC. SEC. SEC. SEC. SEC		
2	And user click on Inbox Icon	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
	AZENTO - P P R ROO NO DE T		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot 4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 5.148 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.238 s	#	Step / Hook Details	Status	Duration
screenshot 4 And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1 2306 s PASSED 1.229 s	3	And user click search icon	PASSED	0.109 s
And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
And user Enter Customer Address details Application ID AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 5.148 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.238 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.306 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.229 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot And user click on Additional customer Info Tab Arter_Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 1.229 s		The state of the		
screenshot And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 1.229 s	4	And user Enter Customer Address details Application ID	PASSED	0.188 s
And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 2.306 s PASSED 1.229 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
And user click on First record of Appdata Entry AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Additional customer Info Tab And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 2.306 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 2.306 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot				
screenshot And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot PASSED 1.229 s	5	And user click on First record of Appdata Entry	PASSED	5.148 s
6 And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 2.306 s PASSED 1.229 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
And user click on Additional customer Info Tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot PASSED 2.306 s PASSED 1.229 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 1.229 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 1.229 s	6	And user click on Additional customer Info Tab	PASSED	2.306 s
screenshot				
			7	
		AZENTO		
7 And user click on First Record Edit Icon PASSED 0.108 s	7	And user click on First Record Edit Icon	PASSED	0.108 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.345 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.345 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	* A SECTION ** * * * * * * * * * * * * * * * * *		
8	And user click on Address Information First Record Edit Icon	PASSED	3.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.928 s
	screenshot	1	
9	And user Modify the Address type field	PASSED	2.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot	1	
	A SECTION F. F. F. SOLO SOLO SOLO SOLO SOLO SOLO SOLO SOL		
10	And user Modify the Address Status field	PASSED	0.840 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
	ASSETTED		
11	And user Modify the Residental status field	FAILED	1.232 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-dny-c320="" aria-haspopup="listbox" aria-label=" Financed , Residential or Occupancy Status *" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" ng-reflect-cancel-text="CANCEL" ng-reflect-disabled="false" ng-reflect-interface="popover" ng-reflect-is-disabled="false" ng-reflect-model="98303498" ng-reflect-multiple="false" ng-reflect-oktext="OK" ng-reflect-placeholder="Select" role="button"></ion-select> is not clickable at point (663, 450). Other element would receive the click: <ion-popover aria-modal="true" class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" no-router="" style="z-index: 20005;width:792.016px;" tabindex="-1"></ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System		

#	Step / Hook Details	Status	Duration
	info: host: "INMUVADP014547, ip: 10.1.47.111", os.name: Windows 10", os.arch: 'amd64", os.version: '10.0", java.version: '17.0.1" briver info: org.openqa.selenium.chrome.ChromeDriver Command: [178a59542b2f8ac304453447c0d04a95, clickElement (id=045fabe9-3afe48e2-ble0-272414797847]. Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: (chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:\Users\times\t	PASSED	0.175 s
	Screenshot		
12	And user click the update the button	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION




EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

