

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of project master	1	0	1	0	57.951 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of project master	Project Master - To verify the impact when user enter	7	6	1	0	57.947 s
		numeric value in character field,					

DETAILED SECTION -- 4 --

(F)- Check the functionality of project master

FAILED	DURATION - 57.951 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 1:07:48.655 PN	M // 1:08:46.606 PM /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Project Master - To verify the impact when user enter numeric value in character field,

FAILED DURATION - 57.947 s	30	1F		 !-	 <u> </u>	-				Steps		
/ 1:07:48.659 PM // 1:08:46.606 PM /	20 -	╬		 	 					Total - 7		
7 1.07.46.665 7 107 1.66.46.666 7 107										Pass - 6	7	
Check the functionality of project master	10	11		 ! -	 	-				Fail - 1		,
@AT-PM-T004-D1	0 -	1		 	 <u> </u>	<u> </u>				Skip - 0		
			1	2	3	4	5	6	7			


#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	19.800 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
	ALEXTRO Total Total		
2	And Click the configuration	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		


#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
	ASSITIO Complete Size Size Size Size Size Size Size Siz		
4	And click on eye icon of project master	PASSED	0.297 s
<u> </u>	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.545 s
	screenshot		
	1.10 2 2 3 30 30 30 30 4 4 4 4 4 4 4 4 4 4 4 4 4		
5	Then click on add button	PASSED	30.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.766 s
	screenshot		
	A SENTO COMPANY COM		
6	Then Choose the data set id for invalid data types in project master	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.880 s
	screenshot		
7	Then verify system should not allow to enter invalid datatypes in project master	FAILED	0.055 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)		

DETAILED SECTION -- 6 --


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ULS_ProjectMaster.verify_system_should_not_allow_to_enter_invalid_datatypes_in_project_master(ULS_ProjectMaster.java:64) at ?.verify system should not allow to enter invalid datatypes in project master(file:///C:/Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/ULS_ProjectMaster.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### Comparison of Co	PASSED	0.269 s

EXPANDED SECTION -- 7





EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

