Cucumber Report

Start : Jul 28, 12:02:13.023 AM	End : Jul 28, 12:02:40.093 AM	Duration : 27.070 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 18 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	*Project Master Retail Functionality*	1	1	0	0	27.070 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Project Master Retail Functionality	Project Master bulding Fields validation	18	18	0	0	27.067 s

(F)- Project Master Retail Functionality

| PASSED	DURATION - 27.070 s	Scenarios		Steps	
/ 12:02:13.023 AM // 12:02:40.093 AM /		Total - 1		Total - 18	
		Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Project Master bulding Fields validation

PASSED	DURATION - 27.067 s		Steps	
/ 12:02:13.026 AM // 12:02:40.093 AM /			Total - 18	
Project Master Retail Functionality			Pass - 18	18
			Fail - 0	
@ProjectMaster			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Project Setup	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
4	Then click on Project Master edit icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
5	Then open the project master record	PASSED	2.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
6	Then click on Project Master Building add button	PASSED	1.522 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify the field Unit Type	PASSED	2.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
8	Then verify the field Building Name	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
9	Then verify the field Building Type	PASSED	1.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
10	Then verify the field Total Floors	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then verify the field Total Flats	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
12	Then verify the field Tentative Start Dates	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		
13	Then verify the field Tentative End Dates	PASSED	0.254 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot		
14	Then verify the field Disbursment Amount	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then verify the field Exposed No of Flats	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
16	Then verify the field Verified By	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		
17	Then verify the field Stage of Completion	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
18	Then verify the field Verified On	PASSED	2.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields
validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields
validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Project Master bulding Fields validation

(F) Project Master Retail Functionality