

Cucumber Report

29-Nov-2022, 12:21:23 pm

Start : Nov 29, 12:19:43.983 pm

End : Nov 29, 12:21:21.694 pm

Duration : 1 m 37.711 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 86







#	Feature Name	T	P	F	S	Duration
1	<u>To test the property details tab</u>	1	0	1	0	1 m 37.711 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	To create the property details with valid data	87	0	1	86	1 m 37.705 s

(F)- To test the property details tab

FAILED	DURATION - 1 m 37.711 s	Scenarios		Steps	
/ 12:19:43.983 pm // 12:21:21.694 pm /		Total - 1	1	Total - 87	87
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 86	

(S)- To create the property details with valid data

<div>FAILED</div> <div>DURATION - 1 m 37.705 s</div>			Steps		
/ 12:19:43.989 pm // 12:21:21.694 pm /			Total - 87		
To test the property details tab			Pass - 0		
@AT_PD_001			Fail - 1		
			Skip - 86		

#	Step / Hook Details	Status	Duration
1	<p>Given User Launch the KULS url for Transaction</p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [318b8dd05ec7d47e253f467dbf6a929e, findElement {using=xpath, value=//ion-card-content//ion-col[1]//div//ion- button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\107.0.5304.121\chromedriver-win64\107.0.5304.62 (1eec40d3a576..., goog:chromeOptions: {debuggerAddress: localhost:57822}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57822/devtools, se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 318b8dd05ec7d47e253f467dbf6a929e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</pre>	FAILED	55.841 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:46) at stepdefinitions.CustomerEntityLayout_CustomerDebt_Step. user_launch_the_kuls_url_for_transaction(CustomerEntityLayout_CustomerDebt_Step.java:38) at ?.User Launch the KULS url for Transaction(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/ features/ULS_Property_Details.feature:4) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [318b8dd05ec7d47e253f467dbf6a929e, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57822}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57822/devtoo..., se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 318b8dd05ec7d47e253f467dbf6a929e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) </pre>	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
2	And click on mail box	SKIPPED	0.000 s
3	And search for app data entry record	SKIPPED	0.000 s
4	And select the app data entry first record	SKIPPED	0.000 s
5	And click on property detail record	SKIPPED	0.000 s
6	And click on add button in property details tab	SKIPPED	0.001 s
7	Then verify property details is showing in the screen	SKIPPED	0.000 s
8	Then verify address details is showing in screen	SKIPPED	0.000 s
9	Then verify charge details is showing in the screen	SKIPPED	0.000 s
10	Then verify construction details is showing in the screen	SKIPPED	0.000 s
11	And user update the Excelsheet Testdata for Property creation	SKIPPED	0.000 s
12	Then verify security type field should be visisble and mandatory dropdown	SKIPPED	0.000 s
13	And user can able to select the data from the security dropdown	SKIPPED	0.000 s
14	Then verify property city field should be mandatory lookup	SKIPPED	0.000 s
15	And user can able to select the data from the property city field	SKIPPED	0.000 s
16	Then verify Type Of Transaction field should be mandatory lookup	SKIPPED	0.000 s
17	And user can able to select the data from the Type Of Transaction field	SKIPPED	0.000 s
18	Then verify Purchased from field should be mandatory lookup	SKIPPED	0.000 s
19	And user can able to select the data from the Purchased from field	SKIPPED	0.001 s
20	Then verify Property Type field should be mandatory lookup	SKIPPED	0.000 s
21	And user can able to select the data from the Property Type field	SKIPPED	0.000 s
22	Then verify APF Status field should be mandatory dropdown	SKIPPED	0.001 s
23	And user can able to select the data from the APF Status field	SKIPPED	0.000 s
24	Then verify Construction Status field should be mandatory dropdown	SKIPPED	0.000 s
25	And user can able to select the data from the Construction Status field	SKIPPED	0.000 s
26	Then verify Property Category field should be mandatory dropdown	SKIPPED	0.000 s
27	And user can able to select the data from the Property Category field	SKIPPED	0.000 s
28	Then verify Nature of Property field should be mandatory lookup	SKIPPED	0.000 s
29	And user can able to select the data from the Nature of Property field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
30	Then verify Occupancy Status field should be mandatory lookup	SKIPPED	0.000 s
31	And user can able to select the data from the Occupancy Status field	SKIPPED	0.000 s
32	Then verify name Of The Developer field should be mandatory lookup	SKIPPED	0.000 s
33	And user can able to select the data from the name Of The Developer field	SKIPPED	0.000 s
34	Then verify Project field should be mandatory lookup	SKIPPED	0.001 s
35	And user can able to select the data from the Project field	SKIPPED	0.000 s
36	Then verify Building Details field should be mandatory lookup	SKIPPED	0.000 s
37	And user can able to select the data from the Building Details field	SKIPPED	0.000 s
38	Then verify Unit Details field should be mandatory lookup	SKIPPED	0.001 s
39	And user can able to select the data from the Unit Details field	SKIPPED	0.000 s
40	Then verify address line 1 field should be non mendatory text box	SKIPPED	0.000 s
41	And user can able to enter the data into the address line 1 input box	SKIPPED	0.000 s
42	Then verify address line 2 field should be non mendatory text box	SKIPPED	0.000 s
43	And user can able to enter the data into the address line 2 input box	SKIPPED	0.000 s
44	Then verify address line 3 field should be text box	SKIPPED	0.000 s
45	And user can able to enter the data into the address line 3 input box	SKIPPED	0.000 s
46	Then verify country field should be non mandatory lookup	SKIPPED	0.000 s
47	And user can able to select the data from the country field	SKIPPED	0.000 s
48	Then verify state field should be non mandatory lookup	SKIPPED	0.000 s
49	And user can able to select the data from the state field	SKIPPED	0.000 s
50	Then verify District Neighbourhood field should be non mandatory textbox	SKIPPED	0.000 s
51	And user can able to enter the data from into District Neighbourhood field	SKIPPED	0.000 s
52	Then verify city field should be non mandatory lookup	SKIPPED	0.000 s
53	And user can able to select the data from the city field	SKIPPED	0.000 s
54	Then verify pincode field should be non mandatory textbox	SKIPPED	0.000 s
55	And user can able to enter the data from into pincode field	SKIPPED	0.000 s
56	Then verify Location Type field should be mandatory lookup	SKIPPED	0.000 s
57	And user can able to enter the data from into Location Type field	SKIPPED	0.000 s
58	Then verify distance from branch to property field should be mandatory lookup	SKIPPED	0.000 s
59	And user can able to enter the data from into distance from branch to property field	SKIPPED	0.000 s
60	Then verify Type Of Charge field should be mandatory dropdown	SKIPPED	0.000 s
61	And user can able to select the data from the Type Of Charge field	SKIPPED	0.000 s
62	Then verify Name Of Charge Holder field should be non mandatory textbox	SKIPPED	0.000 s
63	And user can able to enter the data from into Name Of Charge Holder field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
64	Then verify Amount to the Charge Holder field should be non mandatory currency field	SKIPPED	0.001 s
65	And user can able to enter the data from into Amount to the Charge Holder field	SKIPPED	0.000 s
66	Then verify Measurement field should be mandatory dropdown	SKIPPED	0.000 s
67	And user can able to select the data from the Measurement field	SKIPPED	0.000 s
68	Then verify Approx Property Area field should be non mandatory textbox	SKIPPED	0.000 s
69	And user can able to enter the data from into Approx Property Area field	SKIPPED	0.000 s
70	Then verify Built Up Plot Area field should be non mandatory textbox	SKIPPED	0.000 s
71	And user can able to enter the data from into Built Up Plot Area field	SKIPPED	0.000 s
72	Then verify Carpet Area field should be non mandatory textbox	SKIPPED	0.000 s
73	And user can able to enter the data from into Carpet Area field	SKIPPED	0.001 s
74	Then verify Property Management field should be non mandatory lookup	SKIPPED	0.000 s
75	And user can able to select the data from the Property Management field	SKIPPED	0.001 s
76	Then verify Year Of Construction field should be non mandatory calendar	SKIPPED	0.000 s
77	And user can able to select the date from the Year Of Construction field	SKIPPED	0.000 s
78	Then verify percentage of completion field should be non mandatory textbox	SKIPPED	0.001 s
79	And user can able to enter the data from into percentage of completion field	SKIPPED	0.000 s
80	Then verify Expected Completion Date field should be non mandatory calendar	SKIPPED	0.001 s
81	And user can able to select the date from the Expected Completion Date field	SKIPPED	0.000 s
82	Then verify Agreement Date field should be non mandatory calendar	SKIPPED	0.001 s
83	And user can able to select the date from the Agreement Date field	SKIPPED	0.000 s
84	Then verify Agreement Validity Date field should be non mandatory calendar	SKIPPED	0.001 s
85	And user can able to select the date from the Agreement Validity Date field	SKIPPED	0.000 s
86	And save the property details record	SKIPPED	0.000 s
87	Then verify record is saved in the system	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	32.325 s
	org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVD014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [318b8dd05ec7d47e253f467dbf6a929e, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:57822}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57822/devtoo..., se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 318b8dd05ec7d47e253f467dbf6a929e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		