

Cucumber Report

09-Sep-2022, 5:20:52 pm

Start : Sep 09, 5:20:20.289 pm

End : Sep 09, 5:20:51.475 pm

Duration : 31.186 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	1	0	1	0	31.186 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check The functionality of the Personal Details App data Entry</u>	<u>verify user is able to modify existing record of customer details</u>	11	10	1	0	31.180 s

(F)- Check The functionality of the Personal Details App data Entry





FAILED	DURATION - 31.186 s	Scenarios		Steps	
/ 5:20:20.289 pm // 5:20:51.475 pm /		Total - 1		Total - 11	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


(S)- verify user is able to modify existing record of customer details


<div>FAILED</div> <div>DURATION - 31.180 s</div>			<div>Steps</div> <div>Total - 11</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 5:20:20.295 pm // 5:20:51.475 pm /				
Check The functionality of the Personal Details App data Entry				
@AT_PDE_003				


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	10.776 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	5.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot 		
4	And user click on Inbox Icon	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot 		
5	And user click search icon	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot 		
6	And user search Appdata Entry	PASSED	0.148 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s

#	Step / Hook Details	Status	Duration
	<p>screenshot</p> 		
7	And user click on First record of Appdata Entry	PASSED	0.293 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.262 s
8	And user click on Customer Details Tab	PASSED	1.718 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.356 s
9	And user click on First Record Edit Icon	PASSED	0.442 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.286 s
10	And user Modify the Applicant Type field	PASSED	5.440 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.207 s
11	<p>And user click the update the button</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@aria-label='Success']"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a78de1600fb26dcf2e9f62085180adff, findElement {using=xpath, value=//div[@aria-label='Success']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:65349}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:65349/devtoo..., se.cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a78de1600fb26dcf2e9f62085180adff</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source)</p> <p>at stepdefinitions.PersonalDetails_AppDataEntry.user_click_the_update_the_button(PersonalDetails_AppDataEntry.java:1145)</p> <p>at ?.user click the update the button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzzentioULSFramework/src/test/java/features/PersonalDetails_AppDataEntry.feature:114)</p> <p>* Not displayable characters are replaced by '?'. </p>	FAILED	0.361 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
			

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify user is able to modify existing record of customer details</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify user is able to modify existing record of customer details</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing
record of customer details

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Engl...
LOS
Aze...

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing
record of customer details

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Engl...
LOS
Aze...

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXFC	in02040	06-Aug-	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing record of customer details

(F) Check The functionality of the Personal Details App data Entry

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

AZENTIO
ONEBanking

Engl...

LOS

Aze...

- Dashboard
- Configurations
- Transactions
- Application manager
- Customer details
- Customer details Islamic
- Customer identification details
- Customer address details
- Application Details

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-	HLW	AHL

(F) Check The functionality of the Personal Details App data Entry

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing
record of customer details

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, and Application Details. The main content area shows the 'Customer Personal Information' form. At the top, there's a navigation bar with 'Prev', 'Application Info', 'Customer details' (active), 'Additional Customer Info', 'Cust', and 'Next'. Below the navigation bar, there's a search bar and an 'Export' button. The form itself is currently empty, showing only the header and navigation elements.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing
record of customer details

(F) Check The functionality of the
Personal Details App data Entry


This screenshot shows the 'Personal Details' form within the AZENTIO ONEBanking application. A dropdown menu is open over the 'Applicant Type' field, showing options: 'Authorized Signato...', 'Co-Applicant 2', 'Co-Applicant', 'Guarantor' (which is selected with a checkmark), and 'Primary Applicant'. The form fields include: Customer Type (Individual Customer), Applicant Type (Guarantor), Salutation (Mr), KYC Status, First Name (Aakash), Middle Name, Last Name (Patel), Father's First Name, Father's Middle Name, Father's Last Name, Spouse's First Name, Spouse's Middle Name, Spouse's Last Name, No. Of Children, Spouse Status (Select), Date Of Birth, Gender, and Education Level. There are also buttons for 'Initiate Video KYC' and a save icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to modify existing
record of customer details

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO
ONEBanking

Engl... LOS Aze... 

Customers Information Initiate Video KYC

Personal Details

Customer Type *	Applicant Type *	Salutation *
<input type="text" value="Individual Customer"/>	<input type="text" value="Guarantor"/>	<input type="text" value="Mr"/>
KYC Status	First Name *	Middle Name
<input type="text"/>	<input type="text" value="Aakash"/>	<input type="text"/>
Last Name *	Father's First Name *	Father's Middle Name *
<input type="text" value="Patel"/>	<input type="text"/>	<input type="text"/>
Father's Last Name *	Spouse's First Name	Spouse's Middle Name
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	No. Of Children	Spouse Status
<input type="text"/>	<input type="text"/>	<input type="text" value="Select"/>
Date Of Birth *	Gender *	Education Level *

Please fill all the details