

# Cucumber Report

Sep 14, 2022, 2:01:05 PM

Start : Sep 14, 2:00:44.125 PM

End : Sep 14, 2:01:04.926 PM

Duration : 20.801 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 12







#	Feature Name	T	P	F	S	Duration
1	<u>Income Details Functionality</u>	1	0	1	0	20.801 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Income Details Functionality	To check the functionality of Income Details	22	9	1	12	20.798 s




**(F)- Income Details Functionality**





<b>FAILED</b>	<b>DURATION - 20.801 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 9 Fail - 1 Skip - 12	
/ 2:00:44.125 PM // 2:01:04.926 PM /					


**(S)- To check the functionality of Income Details**

<div>FAILED</div> <div>DURATION - 20.798 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 12</div>	<div></div>
<div>/ 2:00:44.128 PM // 2:01:04.926 PM /</div>				
<div>Income Details Functionality</div>				
<div>@AT-ID-001</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
			
2	And User Login as maker	PASSED	6.851 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on inbox	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot 		
4	Then click on inbox search icon	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot 		
5	Then search Income Details record	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot 		
6	And maker user open the record from inbox	PASSED	1.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on Customer Financials Segment button	PASSED	1.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot 		
8	Then click on Customer Financials Record Edit button	PASSED	0.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot 		
9	Then click on Incom Details Add button	PASSED	1.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot 		
10	Then Validate fields and button under Income details sections	FAILED	0.068 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@id='incomeAmount0']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e088134a5b6d2c3987423fb290e404aa, findElement {using=xpath,		

#	Step / Hook Details	Status	Duration
	<p>value=//input[@id='incomeAmount0']] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:61889}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61889/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e088134a5b6d2c3987423fb290e404aa</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)  at stepdefinitions.IncomeDetails.validate_fields_and_button_under_income_details_sections(IncomeDetails.java:80)  at ?.Validate fields and button under Income details sections(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/IncomeDetails.feature:15)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.205 s
11	Then Validate Auto populated Employment field	SKIPPED	0.000 s
12	And employment type is salaried then validate bank and branch fields	SKIPPED	0.000 s
13	Then Salary Credit to Bank Field should be drop down	SKIPPED	0.001 s


#	Step / Hook Details	Status	Duration
14	Then Salary Credit Bank Field type should be lockup	SKIPPED	0.000 s
15	Then Salary Credit Bank Field type should be lockup	SKIPPED	0.000 s
16	Then Validate Total Income field auto populated post entering the amount	SKIPPED	0.000 s
17	Then Validate Total Income Considered field auto populated post entering the amount	SKIPPED	0.000 s
18	Then Validate Total Deduction field auto populated post entering the amount	SKIPPED	0.000 s
19	Then Validate Total Deduction Considered field auto populated post entering the amount	SKIPPED	0.000 s
20	Then Validate Net Income Amount field type should be text box	SKIPPED	0.000 s
21	Then Validate Net Deduction Amount field type should be text box	SKIPPED	0.000 s
22	Then Validate Currency Field should be drop down	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details


(F) Income Details Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking application. The top navigation bar includes the logo, a search icon, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Inbox' and shows 'Action' with a search bar. Below the search bar, it indicates 'Showing 0 to 0 of 0 entries'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking application with an inbox containing 10 entries. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The entries are as follows:

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	470	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 13:55	HLW	AHL
	468	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 13:42	HLW	AHL
	424	APP_CREATE	LEGVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	424	APP_CREATE	FCUVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	466	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 12:35	HLW	AHL
	465	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 12:23	HLW	AHL
	457	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 13:51	HLW	AHL
	435	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 11:32	HLW	AHL
	432	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 10:37	HLW	AHL
	431	APP_CREATE	DISBMKR	OPEMKR	in02040	13-Sep-2022 10:16	HLW	AHL

At the bottom, it indicates 'Showing 1 to 10 of 51 entries' with pagination controls.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Config Manager, Sample Screens, Transactions, and Reports. The main area displays an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 entries, with the first entry highlighted. A search bar at the top right of the table contains the text '457'. At the bottom of the table, it says 'Showing 1 to 10 of 51 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	470	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 13:55	HLW	AHL
	468	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 13:42	HLW	AHL
	424	APP_CREATE	LEGVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	424	APP_CREATE	FCUVRFY	CPUEXEC	in02040	14-Sep-2022 13:13	HLW	AHL
	466	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 12:35	HLW	AHL
	465	APP_CREATE	OFFERING	CREOFF	in02040	14-Sep-2022 12:23	HLW	AHL
	457	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 13:51	HLW	AHL
	435	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 11:32	HLW	AHL
	432	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 10:37	HLW	AHL
	431	APP_CREATE	DISBMKR	OPEMKR	in02040	13-Sep-2022 10:16	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality

The screenshot shows the AZENTIO ONEBanking application interface, similar to the one above but with only one entry in the 'Inbox' table. The sidebar menu is the same. The 'Inbox' table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The single entry is highlighted. The search bar at the top right of the table contains the text '457'. At the bottom of the table, it says 'Showing 1 to 1 of 1 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	457	APP_CREATE	APPDATAENT	CPUEXEC	in02040	13-Sep-2022 13:51	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality


The screenshot displays the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search bar, and various utility icons. The main navigation menu on the left lists: Dashboard, Configurations (with sub-items Config Manager and Sample Screens), Transactions, and Reports. The breadcrumb trail at the top of the main content area shows: Prev, Application Info, Customer details, Additional Customer Info, Customer Financials (highlighted), Facility Info, Document Details, and Next. The main content area is currently blank, indicating the 'Customer Financials' section is active but contains no data.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking application interface, showing the 'Customer Personal Information' section. The top navigation bar and left menu are identical to the previous screenshot. The breadcrumb trail is: Prev, Application Info, Customer details, Additional Customer Info, Customer Financials (highlighted), Facility Info, Document Details, Offering, and Next. The main content area features a table titled 'Customer Personal Information' with a search bar and an 'Export' button. The table has columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. One entry is visible for a customer named Shwetha S Tiwari, with status 'Active'. The table footer indicates 'Showing 1 to 1 of 1 entries'.

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			Shwetha	s	Tiwari	I	P	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking interface. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area shows the 'Customer Employment List' with a table containing one entry for 'Augtech pvt ltd' with an 'Active' status. Below this is the 'Income' section, also with one entry for 'Salaried' with a net income of 60000 and a net deduction of 1200. The bottom section shows 'Financial Commitments'.

Action	Employer Name	Nature of Employment	Employment Type	Status
	Augtech pvt ltd	52973	52975	Active

Action	Income header ID	Employer Name	Nature of Employment	Net income	Net Deduction	Currency	Status
	264		Salaried	60000	1200	23	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To check the functionality of Income  
Details

(F) Income Details Functionality

The screenshot shows the 'Income' details form in the AZENTIO ONEBanking interface. It includes fields for 'Employment Type' (Salaried), 'Income', 'Frequency', 'Amount', 'Def %', 'Adj %', and 'Amount Considered'. There are also summary fields for 'Total Income', 'Total Income Considered', 'Salary Credited To Bank', 'Deduction', 'Deduction Amt', 'Deduction Def %', 'Deduction Adj %', 'Deduction Considered', 'Total Deduction', 'Total Deduction Considered', and 'Currency'.

Income	Frequency	Amount	Def %	Adj %	Amount Considered	Action
Select	Select					+

Deduction	Frequency	Deduction Amt	Deduction Def %	Deduction Adj %	Deduction Considered	Action
Select	Select					+