

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	1	0	0	59.921 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name		P	F	S	Duration
1	Check the functionality of product	Product Master - to check the functionality of	8	8	0	0	59.916 s
	master	status(active/deactive) and back button					

DETAILED SECTION -- 4 --

(F)- Check the functionality of product master

PASSED	DURATION - 59.921 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:41:21.335 Pl	M // 10:42:21.256 PM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Product Master - to check the functionality of status(active/deactive) and back button


PASSED	DURATION - 59.916 s										Steps		
/ 10:41:21 34	40 PM // 10:42:21.256 PM /	15 -									Total - 8		
7 10.41.21.04	+0 1 W1// 10.42.21.200 1 W1/	10 -	 		 i				;	;	Pass - 8	8	
Check the fun	ctionality of product master	5 -	 	Ė	 		<u> </u>		- 🖫		Fail - 0	ď	
@ProductMas	ster @M9	0 -	 		 <u> </u>	<u> </u>	<u> </u>		_ 📮		Skip - 0		'
			1	2	3	4	5	6	7	8		1	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	17.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
	AZENTIO End-to- find Solking Suite Street services of the solking Solities Street services of the solition should be solitio		
2	And User Login as maker	PASSED	5.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		


Then user should navigate to product master PASSED AFTER_STEP_stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED ASSED ASSED ASSED AFTER_STEP_stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED ASSED ASSED ASSED ASSED ASSED AFTER_STEP_stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED ASSED Asset As	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on edit view of product master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		▼ ▼ □ 3 manuscus 3 manuscus 4 manuscus 5 manuscus 6 manuscus 6 manuscus 7 manuscus 8 manuscus 8 manuscus 9 manu		
screenshot And click on edit view of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED ASSED 4.399 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s	3		PASSED	0.733 s
And click on edit view of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED ASSED A.399 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.255 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.382 s
4 And click on edit view of product master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED ASSED ASSED ASSED ASSED ASSED O.255 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.399 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s		AZENTIO Separation Separat		
Screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 4.399 s PASSED 0.255 s	4	And click on edit view of product master	PASSED	0.204 s
Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.399 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
Then verify the functionality of status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.399 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.399 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s				
Screenshot 6 Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s	5	Then verify the functionality of status of the record	PASSED	2.509 s
6 Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.399 s 0.255 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
6 Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.399 s 0.255 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.255 s		TOTAL MATERIAL STATE OF THE PARTY OF THE PAR		
	6	Then verify user can able to change the status from active to deactive	PASSED	4.399 s
screenshot			PASSED	0.255 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
7	Then verify user can able to change the status from deactive to active	PASSED	4.473 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
8	Then verify the functionality of back button	PASSED	1.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		


EXPANDED SECTION --- 7 -



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

