Cucumber Report

| Start : Jul 25, 4:14:26.066 PM	End : Jul 25, 4:14:47.950 PM	Duration : 21.884 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 54

Features

1

Pass %
0 %

Scenarios

1

Pass %
0 %

Steps

64

Pass %
14 %

#	Feature Name	T	P	F	S	Duration
1	<u>Product Master Retail Functionality</u>	1	0	1	0	21.884 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	64	9	1	54	21.880 s

(F)- Product Master Retail Functionality

FAILED	DURATION - 21.884 s	Scenarios		Steps	
	/ 4:14:26.066 PM // 4:14:47.950 PM /	Total - 1	1	Total - 64	64
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 54	

(S)- verify Checker user is able to Approve the record

FAILED	DURATION - 21.880 s		Steps	
	/ 4:14:26.070 PM // 4:14:47.950 PM /		Total - 64	64
	Product Master Retail Functionality		Pass - 9	
	@ProductMaster_Retail_Approve_Reject_Return		Fail - 1	
			Skip - 54	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.907 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
5	Then click on Product Master add button	PASSED	2.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
8	Then Enter Product Description	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
10	Then verify the field Remarks	FAILED	0.170 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a47ae0883dccca42e13f822752fa0319, sendKeysToElement {id=5124145f-6d4d-42ff-bca2-42195a7c6f28, value=[Ljava.lang.CharSequence;@51eb0e84}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:		

#	Step / Hook Details	Status	Duration

	{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62607}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62607/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a47ae0883dccca42e13f822752fa0319)] -> xpath: //ion-textarea[1]//textarea[1]] Session ID: a47ae0883dccca42e13f822752fa0319
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy45.sendKeys(Unknown Source)
	  at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:183)
	  at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:58)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot 		
11	Then click on save button	SKIPPED	0.001 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And open record for Approve	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s
16	Then click on Product Master eye icon	SKIPPED	0.000 s
17	Then click on Product Master add button	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
19	Then Enter Product Code for Return	SKIPPED	0.000 s
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.001 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then validate Success pop up	SKIPPED	0.000 s
25	Then click on inbox	SKIPPED	0.001 s
26	And open record for Return	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.000 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.001 s
31	Then Enter Product Code for reject	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Reject	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.001 s
40	Then user logout from the application	SKIPPED	0.000 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.000 s
46	Then Open the record to return it	SKIPPED	0.000 s
47	Then return the record	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
48	Then Open the record to reject it	SKIPPED	0.000 s
49	Then reject the record	SKIPPED	0.000 s
50	Then user logout from the application	SKIPPED	0.000 s
51	Given User launch the kuls application	SKIPPED	0.000 s
52	And User Login as maker	SKIPPED	0.000 s
53	Then click on Product Setup	SKIPPED	0.000 s
54	Then click on Product Master eye icon	SKIPPED	0.000 s
55	Then click on search icon	SKIPPED	0.000 s
56	Then search approved record	SKIPPED	0.000 s
57	Then close the search input field	SKIPPED	0.000 s
58	Then click on search icon	SKIPPED	0.000 s
59	Then search Rejected record	SKIPPED	0.000 s
60	Then close the search input field	SKIPPED	0.000 s
61	Then click on Product Master edit icon	SKIPPED	0.000 s
62	Then click on search icon	SKIPPED	0.000 s
63	Then search the record	SKIPPED	0.000 s
64	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) verify Checker user is able to Approve the record (F) Product Master Retail Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality