

Cucumber Report

Dec 2, 2022, 12:08:25 PM

Start : Dec 02, 12:06:09.751 PM

End : Dec 02, 12:08:23.237 PM

Duration : 2 m 13.486 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 59







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Charge Master</u>	1	0	1	0	2 m 13.486 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Charge Master</u>	<u>Creation of Charge Master record</u>	60	0	1	59	2 m 13.479 s

(F)- Check the functionality of Charge Master

FAILED	DURATION - 2 m 13.486 s	Scenarios		Steps	
/ 12:06:09.751 PM // 12:08:23.237 PM /		Total - 1	1	Total - 60	60
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 59	

(S)- Creation of Charge Master record

<div>FAILED</div> <div>DURATION - 2 m 13.479 s</div>			Steps		
/ 12:06:09.758 PM // 12:08:23.237 PM /			Total - 60		
Check the functionality of Charge Master			Pass - 0		
@ChargeMaster_M1			Fail - 1		
			Skip - 59		

#	Step / Hook Details	Status	Duration
1	<p>Given Get the URL and login as maker</p> <p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6cb75c57d15edda89a6e42e7f003248, findElement {using=xpath, value=//ion-input[@ng-reflect-name='username']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58406}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58406/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c6cb75c57d15edda89a6e42e7f003248</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>	FAILED	1 m 49.959 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:56) at stepdefinitions.SchemeMaster.get_the_url_and_login_as_maker(SchemeMaster.java:44) at ?.Get the URL and login as maker(file:///C:/Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/ChargeMaster.feature:4) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6cb75c57d15edda89a6e42e7f003248, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58406}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58406/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c6cb75c57d15edda89a6e42e7f003248 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) </pre>	FAILED	12.187 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
2	And Click the configuration	SKIPPED	0.000 s
3	Then Click the config Manager	SKIPPED	0.000 s
4	And user click on Charge Master Eye icon	SKIPPED	0.000 s
5	And user click on Add icon	SKIPPED	0.000 s
6	And user Enter the charge fields and verify the values	SKIPPED	0.000 s
7	And user Enter the charge Description field and verify it	SKIPPED	0.000 s
8	And user Enter the Calculation Type field and verify the values	SKIPPED	0.000 s
9	And user Enter the Flat Amount field and verify it	SKIPPED	0.000 s
10	And user Enter the Percentage field and verify it	SKIPPED	0.000 s
11	And user Enter the Calculated On field and verify it	SKIPPED	0.000 s
12	And user Enter the Rec pay field and verify it	SKIPPED	0.000 s
13	And user Enter the Include In cust IRR and verify it	SKIPPED	0.000 s
14	And user Enter the Include In Bank IRR and verify it	SKIPPED	0.001 s
15	And user Enter the Level field and verify it	SKIPPED	0.000 s
16	And user Enter the currency field and verify it	SKIPPED	0.000 s
17	And user Enter the Event field and verify it	SKIPPED	0.000 s
18	And user Enter the Date Unit and verify it	SKIPPED	0.001 s
19	And user Enter the Date value and verify it	SKIPPED	0.000 s
20	And user Enter the charge count and verify it	SKIPPED	0.000 s
21	And user Enter the Allow Edit and verify it	SKIPPED	0.000 s
22	And user Enter the Accounting type and verify it	SKIPPED	0.000 s
23	And user Enter the Rule field and verify it	SKIPPED	0.000 s
24	And user Enter the Remarks field and verify it	SKIPPED	0.000 s
25	Then user Save the charge master Record	SKIPPED	0.000 s
26	And user Goto the Temp view screen	SKIPPED	0.000 s
27	And user click on First Edit icon	SKIPPED	0.000 s
28	And user click on charge slab details add icon	SKIPPED	0.000 s
29	And user verify the Calculated Type fields	SKIPPED	0.000 s
30	And user verify the below fields	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
31	And user verify the min slab Amount fields	SKIPPED	0.000 s
32	And user verify the max slab Amount fields	SKIPPED	0.000 s
33	And user verify the Amount fields	SKIPPED	0.000 s
34	And user verify the Rate fields	SKIPPED	0.000 s
35	And user verify the Remarks fields	SKIPPED	0.000 s
36	And user click on save button and verify it	SKIPPED	0.001 s
37	Then user verify the Required field proper validation message	SKIPPED	0.000 s
38	And user Goto the Temp view screen	SKIPPED	0.000 s
39	And user click on First Edit icon	SKIPPED	0.000 s
40	And user click on charge slab details add icon	SKIPPED	0.000 s
41	And user verify the Calculated Type fields	SKIPPED	0.000 s
42	And user verify the below fields	SKIPPED	0.000 s
43	And user verify the min slab Amount field	SKIPPED	0.001 s
44	And user verify the max slab Amount field	SKIPPED	0.000 s
45	And user verify the Amount field	SKIPPED	0.000 s
46	And user verify the Rate field	SKIPPED	0.000 s
47	And user verify the currency field	SKIPPED	0.000 s
48	And user verify the Remarks field	SKIPPED	0.000 s
49	And user click on save button and verify it	SKIPPED	0.001 s
50	And user Goto the Temp view screen	SKIPPED	0.001 s
51	And user click on First Edit icon	SKIPPED	0.000 s
52	And user click on chargeslab edit button	SKIPPED	0.000 s
53	And user inactive the Record and update the Record	SKIPPED	0.000 s
54	And user click on Update button and verify it	SKIPPED	0.000 s
55	Then click the inbox in charge master	SKIPPED	0.000 s
56	And Search the record in search field for charge master	SKIPPED	0.000 s
57	Then Get the reference id and store it in a excel in charge master	SKIPPED	0.000 s
58	And Click the action icon in the charge master	SKIPPED	0.000 s
59	Then Submit the record for checker approval in charge master	SKIPPED	0.000 s
60	And Get the checker id and store it in a excel in charge master	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.220 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c6cb75c57d15edda89a6e42e7f003248, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80		

#	Step / Hook Details	Status	Duration
	<p>(7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:58406}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58406/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c6cb75c57d15edda89a6e42e7f003248</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		