Cucumber Report

Start : Nov 29, 3:48:03.453 pm	End : Nov 29, 3:48:11.192 pm	Duration : 7.739 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 16

#	Feature Name	T	P	F	S	Duration
1	To test the property details tab	1	0	1	0	7.739 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	verify system allow user to do a modification on already saved record	17	0	1	16	7.733 s

(F)- To test the property details tab

FAILED	DURATION - 7.739 s		Scenarios		Steps	
/ 3:48:03.453 pm // 3:48:11.192 pm /			Total - 1		Total - 17	
			Pass - 0	1	Pass - 0	17
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 16	

(S)- verify system allow user to do a modification on already saved record

FAILED	DURATION - 7.733 s		Steps	
/ 3:48:03.459 pm // 3:48:11.192 pm /			Total - 17	
To test the property details tab			Pass - 0	17
@AT_PD_004			Fail - 1	
			Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	FAILED	0.028 s

	java.lang.NullPointerException
	   at java.base/java.util.Objects.requireNonNull(Objects.java:208)
	   at java.base/java.util.Arrays$ArrayList.<init>(Arrays.java:4137)
	   at java.base/java.util.Arrays.asList(Arrays.java:4122)
	   at dataProvider.JsonConfig.getPropertyDetail(JsonConfig.java:469)
	   at dataProvider.JsonConfig.<init>(JsonConfig.java:131)
	   at stepdefinitions.KULS_Application_Login.<init>(KULS_Application_Login.java:28)
	   at stepdefinitions.CustomerEntityLayout_CustomerDebt_Step.<init>(CustomerEntityLayout_CustomerDebt_Step.java:23)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)
	   at org.picocontainer.injectors.ConstructorInjector$1.run(ConstructorInjector.java:342)
	   at org.picocontainer.injectors.AbstractInjector$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)
	   at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)
	   at org.picocontainer.injectors.AbstractInjectionFactory$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		

#	Step / Hook Details	Status	Duration
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	1.303 s
2	And user click on Inbox Icon	SKIPPED	0.000 s
3	And user click search icon	SKIPPED	0.000 s
4	And user search Appdata Entry	SKIPPED	0.000 s
5	And user click on First record of Appdata Entry	SKIPPED	0.000 s
6	And user choose Property Details Tab	SKIPPED	0.000 s
7	And user click First Record Edit Icon	SKIPPED	0.001 s
8	And user update the Excelsheet testdata for modification	SKIPPED	0.001 s
9	And user Modify the Security Type	SKIPPED	0.000 s
10	And user Modify the Property City	SKIPPED	0.000 s
11	And user Modify the Property Type	SKIPPED	0.000 s
12	And user Modify the Apf Status	SKIPPED	0.000 s
13	And user Modify the Construction Status	SKIPPED	0.001 s
14	And user Modify the Property Category	SKIPPED	0.000 s
15	And user Modify the Nature of Property	SKIPPED	0.001 s
16	And user Modify the Occupancy Status	SKIPPED	0.000 s
17	And save the property details record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to do a
modification on already saved record

(F) To test the property details tab