


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the property details tab	1	0	1	0	1 m 33.394 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	verify system allow user to do a modification on already	17	16	1	0	1 m 33.390 s
		saved record					

DETAILED SECTION -- 4 --

## (F)- To test the property details tab

FAILED	DURATION - 1 m 33.394 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 3:28:37.765 pr	m // 3:30:11.159 pm /	Pass - 0	1	Pass - 16	17
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- verify system allow user to do a modification on already saved record



#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	55.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.493 s
	screenshot		
	ASSITIO  AND REPORT OF THE PROPERTY OF THE PRO		
2	And user click on Inbox Icon	PASSED	2.676 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.514 s
	screenshot		
	ASENTO  ASENTO		

3 And user click search icon  AFTER STER, standafinitions Heaks Class add Saraanahat (in quaumhar inva Saanaria)	DAGGER	
AFTED STED, standafinitions UsakaClass addSersonabat/is augumber ique Seanaria)	PASSED	0.333 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
screenshot		
** AESTED  *** AND NOTE ** TO NOT		
4 And user search Appdata Entry	PASSED	0.211 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.214 s
screenshot	1	
ASSETTED  SECRET		
5 And user click on First record of Appdata Entry	PASSED	0.265 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
screenshot		
** ATTICUTE		
6 And user choose Property Details Tab	PASSED	2.002 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.536 s
screenshot		
**************************************		
7 And user click First Record Edit Icon	PASSED	1.169 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.745 s
screenshot		

#	Step / Hook Details	Status	Duration
	AZBITIC  ***10 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2		
8	And user update the Excelsheet testdata for modification	PASSED	0.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.985 s
	screenshot		
	ASSTRUCTURE  ***AND ST. AND ST		
9	And user Modify the Security Type	PASSED	1.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	Screenshot   ASSTITU		
10	And user Modify the Property City	PASSED	1.886 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
	AZENTO  AND BY TO MAKE AND BY TO MAK		
11	And user Modify the Property Type	PASSED	1.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
		PASSED	0.269 s


12 And user Modify the Apf Status  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  13 And user Modify the Construction Status  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  14 And user Modify the Property Category  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  15 And user Modify the Nature of Property  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.061 s  PASSED  0.290 s  1.17 s  PASSED  1.061 s  PASSED  1.061 s  PASSED  1.061 s  PASSED  0.290 s  1.061 s  PASSED  0.290 s  1.061 s  PASSED  0.290 s  PASSED  0.290 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  13 And user Modify the Construction Status  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  14 And user Modify the Property Category  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  1.037 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  0.245 s		AZENTO:    A STATE		
13 And user Modify the Construction Status  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  14 And user Modify the Property Category  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.051 s  1.061 s  PASSED  0.290 s	12	And user Modify the Apf Status	PASSED	1.131 s
13 And user Modify the Construction Status  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And user Modify the Property Category  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.061 s  PASSED  0.290 s  4.71 Carrier of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.037 s  PASSED  0.245 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.156 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.156 s		A ACENTY		
screenshot  14 And user Modify the Property Category  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.037 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.245 s	13	And user Modify the Construction Status	PASSED	1.051 s
14 And user Modify the Property Category  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.061 s  0.290 s  1.061 s  PASSED  0.290 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.156 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.037 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.290 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.037 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.290 s		A ASENTO		
Screenshot  15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.245 s	14	And user Modify the Property Category	PASSED	1.061 s
15 And user Modify the Nature of Property  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.245 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.245 s		screenshot	]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.245 s		A ADECTION  A CONTROL OF THE PROPERTY OF THE P		
	15	And user Modify the Nature of Property	PASSED	1.037 s
and another		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
screensnot		screenshot		

#	Step / Hook Details	Status	Duration
	EASTERN SAME SECOND CONTROL OF THE SECOND CO		
16	And user Modify the Occupancy Status	PASSED	1.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
	CASINO  TO STANDARD  TO STANDAR		
17	And user click the update the button	FAILED	1.261 s
	org.openga.selenium.ElementClickInterceptedException: element click intercepted: Element -button _ngcontent-phm-c726="" pbutton="" type="button" icon="pi pi-save" iconpos="left" tooltipposition="top" class="p-element savecmnbtn p-button-info p-button-raised w-90 k-mx-2 p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-save" ng-reflect-icon-pos="left" ng-reflect-tooltip-position="top" ng-reflect-text="Update">		


DETAILED SECTION -- 9 --

Step / Hook Details	Status	Duration
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)		
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)		
at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		
at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)		
at stepdefinitions.PersonalDetails_AppDataEntry.user_click_the_update_the_button(PersonalDetails_AppDataEntry.java:1166)		
at ?.user click the update the button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/		
ULS_Property_Details.feature:266)		
* Not displayable characters are replaced by '?'.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
screenshot		
AZENTO ALOUG 2 S NO NO NO S		


EXPANDED SECTION -- 10 --




**EXPANDED SECTION** 




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

