


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	18.280 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	23	6	1	16	18.275 s
	Address Details screen	details and clicking on save button					

DETAILED SECTION

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 18.280 s	Scenarios		Steps	
		Total - 1		Total - 23	
/ 9:18:54.306 PI	M // 9:19:12.586 PM /	Pass - 0	1	Pass - 6	23
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 16	

(S)- verify the functionality of save button post entering all valid details and clicking on save button

	_																			
FAILED DURATION - 18.275 s	67				-	-											Steps			
/ 9:18:54.311 PM // 9:19:12.586 PM /	4-	-												-			Total - 23			
Check the functionality of Customer Address	,												-				Pass - 6		23	
Details screen								_									Fail - 1	-		7
	0-	_				_		_		_!			_! _		_!	<u> </u>	Skip - 16			
@AT_CAD_002		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.401 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.514 s
	screenshot		
	AZENTIO INITIATA OPEN		
2	And User Login as maker	PASSED	3.290 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.3	941 s
	98 s
screenshot	
### ### ### ### ### ### ### ### ### ##	
4 Then click on inbox PASSED 0.1	.99 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	20 s
5 And user click search icon PASSED 0.2	20 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2	256 s
screenshot	
A SANTO	
6 Then search Customer Address Details record PASSED 0.2	210 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.1	.93 s
screenshot	

#	Step / Hook Details	Status	Duration
	Company Comp		
7	And maker user open the record from inbox	FAILED	1.029 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath";"selector":"/span[contains(ext),(548]]./././d/button"] (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: "4.0-0-rc-1", revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [8bd2300f9eed56efe6cbe6bc71df5, findElement (using-xpath, value=//span[contains(ext), 5489]//fdbutton]] (SaceptinsecureCerts: false, hose) (aceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:Users)ININDC~12AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:52494}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoad8trategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.dp: ws://localhost:52494/devtoo, sec.dp/version: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn-extension:credBlob: true, webauthn:extension.largeBlob: true, webauthn:virualAuthenticators: true} Session ID: 8bd2300ff9sed55efe6cbe6bc71fdf5 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor, java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor, java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor, java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:23) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.emote.emote.e		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	CONTRACTOR OF SP A CONTRACTOR OF		
8	Then click on Additional customer info Segment button	SKIPPED	0.000 s
9	Then click on Action button of Customer Personal Information	SKIPPED	0.001 s
10	Then from customer identification screen click on add button of Address details	SKIPPED	0.000 s
11	Then select Address Type	SKIPPED	0.000 s
12	Then select Address Status	SKIPPED	0.000 s
13	Then select Residential or Occupancy Status	SKIPPED	0.000 s
14	Then Enter Address Line1	SKIPPED	0.001 s
15	Then Enter Address Line2	SKIPPED	0.000 s
16	Then select Country	SKIPPED	0.000 s
17	Then select Province ID	SKIPPED	0.000 s
18	Then Enter Neighbourhood District Name	SKIPPED	0.000 s
19	Then select City ID	SKIPPED	0.000 s
20	Then Enter Zip Code	SKIPPED	0.000 s
21	Then Enter Mobile Number primary	SKIPPED	0.000 s
22	Then Enter Occupancy Date	SKIPPED	0.000 s
23	Then click on save button of Address Detail	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) User ID (S) verify the functionality of save button **AZENTIO** post entering all valid details and clicking on save button CONTINUE (F) Check the functionality of Customer Address Details screen **AZENTIO** (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. java.Scenario) 88 0 $\supset \zeta$ (S) verify the functionality of save button post entering all valid details and clicking on save button (F) Check the functionality of Customer Address Details screen



EXPANDED SECTION -- 10 --

