

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	1	0	0	25.326 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify system should show the proper validation message	12	12	0	0	25.319 s
	Address Details screen	for blank field					

## (F)- Check the functionality of Customer Address Details screen

PASSED	DURATION - 25.326 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 4:00:37.519 I	PM // 4:01:02.845 PM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Verify system should show the proper validation message for blank field


PASSED DURATION - 25.319 s	67		_						-						Steps			
/ 4:00:37.526 PM // 4:01:02.845 PM /	4-			<u> </u>					-		-				Total - 12			
Check the functionality of Customer Address	2-								-						Pass - 12	12	2	
Details screen					-			-			1				Fall - U Skip - 0		J	
@AT_CAD_009	0 -	1		2	3	4	5	6	7	8	9	10	11	12	οκίρ - O			


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
	AZENTIO		
2	And User Login as maker	PASSED	3.442 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.734 s
	screenshot		


Then user should click on the menu toggle  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.281	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.673	
	3 s
screenshot	
### AMERICAN  ##	
4 Then click on inbox to search for the Customer Address Details record PASSED 0.155	5 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.513	3 s
5 Then click on search button to search the record of Customer Address Details PASSED 0.139	9 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259	9 s
screenshot	
6 Then enter the reference id of the Customer Address Details record PASSED 0.089	9 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180	0 s
screenshot	


7 Then click on the entitle button of the Customer Address Details record of that reference id  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  PASSED  0.325 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  PASSED  0.325 s		## CONTROL OF CONTROL		
8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s	7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.198 s
8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
8 Then click on the Additional customer info tab in Customer Personal Information screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.589 s  0.589 s		Company   Comp		
9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  PASSED  0.555 s	8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.277 s
9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  0.555 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.589 s
9 Then select the Customer Address details record from the customer personal detail screen  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.325 s  0.555 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.555 s		ATTIVIO  II B 9 II MAD		
	9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.325 s
Screenshot  Approx  Company of the c		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.555 s
ASSPTO  OF STATE OF S		screenshot		
		ENTITION IN SECURITY		
Then select the record of Address details from the customer identification screen  PASSED 1.525 s	10	Then select the record of Address details from the customer identification screen	PASSED	1.525 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.478 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.478 s
screenshot		screenshot		


DETAILED SECTION -- 7 --














EXPANDED SECTION -- 13 --

