Cucumber Report

| Start : Feb 14, 10:20:03.181 AM	End : Feb 14, 10:22:04.533 AM	Duration : 2 m 1.352 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 18

1

1

28

0 %

0 %

32 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	2 m 1.352 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	To verify user is able to add new Deposite account record in the system by entering valid data	28	9	1	18	2 m 1.345 s

(F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 2 m 1.352 s	Scenarios		Steps	
/ 10:20:03.181 AM // 10:22:04.533 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 28 Pass - 9 Fail - 1 Skip - 18	28

(S)- To verify user is able to add new Deposite account record in the system by entering valid data

| FAILED	DURATION - 2 m 1.345 s		Steps	
/ 10:20:03.188 AM // 10:22:04.533 AM /			Total - 28	
To verify the functionality of Deposit Account master			Pass - 9 Fail - 1 Skip - 18	28
@DepositMaster_M1_1_1c				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	25.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot 		
2	And Click the configuration	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.450 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		
4	And Click the eye icon of deposit master	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.373 s
	screenshot		
5	Then Choose the data set id for creation of deposit account master	PASSED	0.971 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.810 s
	screenshot		
6	Then Click the Add button in the deposit master	PASSED	28.714 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.530 s
	screenshot		
7	And Verify all the fields in deposit screen	PASSED	1.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		

| #	Step / Hook Details	Status	Duration
8	Then Select the Bank name in deposit master	PASSED	1.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot 		
9	And Select the branch name in deposit master	PASSED	53.952 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
	screenshot 		
10	Then Choose the accounting type in deposit master	FAILED	1.123 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-fyq-c177="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Account Type *">...</ion-select> is not clickable at point (673, 277). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20004; --width:802.016px;">...</ion-popover> (Session info: chrome=110.0.5481.77) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.169', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [63f8c363d34b52705f83209b98984e78, clickElement {id=e66d30c2-8288-43d2-ba68-65477d5ad43d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.77, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50894}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50894/devtoo..., se:cdpVersion: 110.0.5481.77, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (63f8c363d34b52705f83209b98984e78)] -> xpath: //ion-select[@aria-label='Select, Account Type *']] Session ID: 63f8c363d34b52705f83209b98984e78		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.DepositAccountMaster.choose_the_accounting_type_in_deposit_master(DepositAccountMaster.java:144) at ?.Choose the accounting type in deposit master(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/DepositAccountMaster.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.223 s
11	And Enter the account number in depost master	SKIPPED	0.000 s
12	Then Choose the account currency in deposit master	SKIPPED	0.000 s
13	And Choose the payment account indicator	SKIPPED	0.000 s
14	Then Select the chart of account mapping type in deposit master	SKIPPED	0.000 s
15	And Select the account status	SKIPPED	0.001 s
16	Then Save the record in deposit master	SKIPPED	0.000 s
17	And Click the pencil icon in deposit master	SKIPPED	0.000 s
18	Then Click the branch maping	SKIPPED	0.000 s
19	And Verify the fields in branch mappinng	SKIPPED	0.000 s
20	Then Choose the availble collection	SKIPPED	0.000 s
21	And Map the available collection to selected	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	Then save the record in branch mapping	SKIPPED	0.000 s
23	And Click the inbox in deposit master	SKIPPED	0.001 s
24	Then Search the record in serch field	SKIPPED	0.000 s
25	And Get the reference id and store it in json	SKIPPED	0.001 s
26	And Click the first action icon in deposit master	SKIPPED	0.000 s
27	Then Submit the record in deposit master	SKIPPED	0.000 s
28	And User Logout from application	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

AZENTIO
ONEBanking

18-Dec-2022

Search the menu

Dashboard

Configurations

Transactions

Reports

An error occurred.

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

AZENTIO
ONEBanking

18-Dec-2022

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

An error occurred.

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify user is able to add new Deposite account record in the system by entering valid data

(F) To verify the functionality of Deposit Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user is able to add new
Deposite account record in the system by
entering valid data

(F) To verify the functionality of Deposit
Account master