
**Duration: 36.251 s** Start: Aug 09, 11:45:21.429 AM End: Aug 09, 11:45:57.680 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 9 18 40 50 60 30 Pass % 70 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	36.251 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property	Verify the functionality of Activate/Deactivate button of	18	8	1	9	36.245 s
	Details screen	Property Details screen					

## (F)- Check the functionality of Property Details screen

FAILED	DURATION - 36.251 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 11:45:21.429	AM // 11:45:57.680 AM /	Pass - 0	1	Pass - 8	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- Verify the functionality of Activate/Deactivate button of Property Details screen



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.697 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.852 s
	screenshot		
	AZENTIO TOTAL		
2	And User Login as maker	PASSED	8.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
	ALKINO  Discussion  Particle  Discussion  Particle  Part		
3	Then select data set ID for property details testcase006	PASSED	0.521 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
	ASIRTO  Security Parkets (I) II To (Ma) (Ma) (Ma) (Ma) (Ma) (Ma) (Ma) (Ma)		
4	Then user should click on the menu toggle from maker stage	PASSED	0.462 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
	Substitute    Company   Co		
5	Then click on inbox to search for the Property Details record	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
	ARTHOUGH SE		
6	Then click on search button to search the record of Property Details in inbox	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
	A SERVICE   Se		
7	Then enter the reference id of the Property Details record	PASSED	0.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		

#	Step / Hook Details	Status	Duration
	A ZEANTO   Paramonal   Param		
8	Then click on the entitle button of the Property Details record of that reference id	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot	1	
	ASSUTION  Supersity  Parallel Sing Sing Sing Sing Sing Sing Sing Sing		
9	Then click on the Property Details tab	FAILED	11.222 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//button(text()=' Next*))[2]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.tuntil(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.PropertyDetails.click_on_the_property_details_tab(PropertyDetails.java:117) at ?.click on the Property Details tab(flie://liC/Users/ININDC00091/git/Azentio_U.S/ Devesh_ULS_03082023/Devesh_AzentioU.SFramework_ExcelTest/src/test/java/features/PropertyDetails.feature:13) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":*yapth":"selector!:"(//button(text()=' Next*))[2]") (Session info: chrome=115:0.5790.171) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK973U', ip: '10.200.4.66', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java-version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9822e41805fbb667e7aac25c36716494], findElement {using=xpath_value=(//button(text()=' Next*))][2]"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 114.0.5735.90 (386bc0988f4, userDataDir: C:Users\INNDC-1\AppDataL), goog:chromeoPoptions: {debuggerAddress localhost:55339}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy. Proxy(), se:cdp: ws://localhost:55339/devtoo, se:cdp/version: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy. Proxy(), se:cdp: ws://		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)		
	at stepdefinitions.PropertyDetails.click_on_the_property_details_tab(PropertyDetails.java:117)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:173) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestInvoker.invokeTestMethods(TestMethodVorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethods(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:377) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunner.vun(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1122) at org.testng.TestNG.runSuitesCoally(TestNG.java:1134) at org.testng.TestNG.runSuitesTestNG.java:1063) at org.testng.TestNG.runSuitesTestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.nintAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.mintAndRun(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	SCREENSOL  ACTION  ACT		
10	Then open the active record of Property Details to modify	SKIPPED	0.001 s
11	Then click on status toggle button under property details to deactive	SKIPPED	0.000 s
12	Then click on update button under property details	SKIPPED	0.001 s
13	Then verify on clicking toggle button system should allow user to change the status of the record to Deactivate	SKIPPED	0.000 s
14	Then open the deactive record of Property Details to modify	SKIPPED	0.000 s
15	Then click on status toggle button under property details to deactive	SKIPPED	0.000 s
16	Then click on update button under property details	SKIPPED	0.000 s
17	Then verify on clicking toggle button system should allow user to change the status of the record to Activate	SKIPPED	0.001 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
18	Then verify the functionality of Back button on property details screen	SKIPPED	0.001 s


EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

