

Cucumber Report

Sep 22, 2022, 2:40:27 PM

Start : Sep 22, 2:38:58.434 PM

End : Sep 22, 2:40:25.328 PM

Duration : 1 m 26.894 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 13







| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | <u>Check the functionality of Customer Address Details screen</u> | 1 | 0 | 1 | 0 | 1 m 26.894 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|----|---|----|--------------|
| 1 | Check the functionality of Customer Address Details screen | verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields | 29 | 15 | 1 | 13 | 1 m 26.857 s |

(F)- Check the functionality of Customer Address Details screen





| | | | | | |
|--------------------------------------|--------------------------------|-----------|---|------------|---|
| FAILED | DURATION - 1 m 26.894 s | Scenarios |  | Steps |  |
| / 2:38:58.434 PM // 2:40:25.328 PM / | | Total - 1 | | Total - 29 | |
| | | Pass - 0 | | Pass - 15 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 13 | |






(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields


| | | | |
|---|--|--|---|
| <div>FAILED</div> <div>DURATION - 1 m 26.857 s</div> |  | <div>Steps</div> <div>Total - 29</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 13</div> |  |
| <div>/ 2:38:58.471 PM // 2:40:25.328 PM /</div> | | | |
| <div>Check the functionality of Customer Address Details screen</div> | | | |
| <div>@AT_CAD_01</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.492 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.458 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 3.491 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.715 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | And user click on Inbox Icon | PASSED | 0.347 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.411 s |
| | screenshot | | |
| |  | | |
| 4 | And user click search icon | PASSED | 0.210 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.234 s |
| | screenshot | | |
| |  | | |
| 5 | And user Enter Customer Address details Application ID | PASSED | 0.223 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.183 s |
| | screenshot | | |
| |  | | |
| 6 | And user click on First record of Appdata Entry | PASSED | 0.207 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.304 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 7 | And user click on Additional customer Info Tab | PASSED | 1.271 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.429 s |
| | screenshot | | |
| |  | | |
| 8 | And user click on First Record Edit Icon | PASSED | 0.201 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.605 s |
| | screenshot | | |
| |  | | |
| 9 | And user click on Address Information Add Icon | PASSED | 0.371 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.642 s |
| | screenshot | | |
| |  | | |
| 10 | And user verify the Address Type field and Choose the value | PASSED | 0.756 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| | screenshot | | |
| |  | | |
| 11 | And user verify the Address status field and choose the value | PASSED | 0.484 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.254 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 12 | And user verify the Residential status field and choose the value | PASSED | 0.679 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.278 s |
| | screenshot | | |
| |  | | |
| 13 | And user verify the Address Line 1 field and Enter the Vaue | PASSED | 0.323 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.171 s |
| | screenshot | | |
| |  | | |
| 14 | And user verify the Address Line 2 field and Enter the Vaue | PASSED | 0.274 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.185 s |
| | screenshot | | |
| |  | | |
| 15 | And user verify the country field and choose the value | PASSED | 2.173 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.128 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|-------------|
| 16 | <p>And user verify the District Name field and Enter the value</p> <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (f5c2aac138ba94be67b85037bbeb57d9)] -> xpath: //ion-label[text()=' Neighbourhood/District Name']/parent::ion-item//input] (tried for 60 second(s) with 2 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103) at stepdefinitions.Customer_Address_Information. user_verify_the_district_name_field_and_enter_the_value(Customer_Address_Information.java:165) at ?.user verify the District Name field and Enter the value(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:129) * Not displayable characters are replaced by '?'. </pre> | FAILED | 1 m 0.025 s |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.209 s |
| 17 | And user verify the Zip code field and Enter the value | SKIPPED | 0.000 s |
| 18 | And user verify the PO Box Number field and Enter the value | SKIPPED | 0.001 s |
| 19 | And user verify the Mobile Number primary field and Enter the value | SKIPPED | 0.000 s |
| 20 | And user verify the Duration of stay field and Enter the value | SKIPPED | 0.000 s |
| 21 | And user verify the Latitude details of the address field and Enter the Value | SKIPPED | 0.000 s |
| 22 | And user verify the Longitude details of the address field and Enter the Value | SKIPPED | 0.000 s |
| 23 | And user verify the LandMark field and Enter the Value | SKIPPED | 0.000 s |
| 24 | And user verify the Occupancy date field and choose the date | SKIPPED | 0.000 s |
| 25 | And user verify the Landlord name field and Enter the Value | SKIPPED | 0.000 s |
| 26 | And user verify the Landlord Number field and Enter the value | SKIPPED | 0.000 s |
| 27 | And user verify the Rent amount field and Enter the Value | SKIPPED | 0.000 s |
| 28 | And user verify the Frequency of Rent field and choose the value | SKIPPED | 0.000 s |
| 29 | And user click the Save the button | SKIPPED | 0.002 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



AZENTIO
ONEBanking

Inbox


Action

Showing 0 to 0 of 0 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



AZENTIO
ONEBanking

Inbox

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 636 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 14:33 | HLW | AHL | | T | T |
| | 639 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 638 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 620 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 13:35 | HLW | AHL | | T | T |
| | 231 | CHARGE_MST | MAKER | LOSMKR | in02040 | 22-Sep-2022 13:9 | TSW | | | M | M |
| | 631 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:53 | HLW | AHL | | T | T |
| | 619 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:50 | HLW | AHL | | T | T |
| | 630 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:50 | HLW | AHL | | T | T |
| | 629 | APP_CREATE | NEWAPP | BREXEC | in02040 | 22-Sep-2022 12:50 | HLW | AHL | | T | T |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Engl... LOS Aze...

Search: 506

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 636 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 14:33 | HLW | AHL | | T | T |
| | 639 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 638 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 620 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 13:35 | HLW | AHL | | T | T |
| | 231 | CHARGE_MST | MAKER | LOSMKR | in02040 | 22-Sep-2022 13:9 | TSW | | | M | M |
| | 631 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:53 | HLW | AHL | | T | T |
| | 619 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:50 | HLW | AHL | | T | T |
| | 630 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:50 | HLW | AHL | | T | T |
| | 629 | APP_CREATE | NEWAPP | BREXEC | in02040 | 22-Sep-2022 | HLW | AHL | | T | T |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Engl... LOS Aze...

Search: 506


| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 506 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 15-Sep-2022 10:22 | HLW | AHL | | T | |

Showing 1 to 1 of 1 entries << < 1 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Additional Customer Info' tab in the AZENTIO ONEBanking application. The form has three input fields: 'Application ID', 'Applicant Name', and 'Customer ID'. Below these fields is a navigation bar with tabs: 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info' (active), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Rep', and 'Next'. The 'Next' button is highlighted in blue.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form has several input fields: 'Address Type' (with a dropdown menu showing 'Home', 'Office', and 'Place of actual Residence'), 'Residential Or Occupancy Status' (with a dropdown menu showing 'Select'), 'Address Line 1', 'Country' (with a dropdown menu showing 'Select'), 'Address Status' (with a dropdown menu showing 'Select'), 'Communication Address' (with a toggle switch), 'Address Line 2', and 'Province Id' (with a dropdown menu showing 'Select'). The 'Next' button is highlighted in blue.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form is titled 'Customer Address' and has a back button. It contains several fields: 'Address Type' (Home), 'Residential Or Occupancy Status' (Select), 'Address Line 1' (empty), 'Country' (Select), 'Address Status' (Previous), 'Communication Address' (Select), 'Address Line 2' (Previous), and 'Province Id' (Select). There are also buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', and 'Print'. The form is part of a larger application with a sidebar and a top navigation bar.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

This screenshot shows the 'Customer Address' form with a different configuration. The 'Address Type' is 'Home', 'Residential Or Occupancy Status' is 'Financed', and 'Address Line 1' is 'If Rental, Month Rental'. The 'Address Status' is 'Previous', 'Communication Address' is 'Select', 'Address Line 2' is empty, and 'Province Id' is 'Select'. The form is part of the same AZENTIO ONEBanking application as the first screenshot.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address' form in the AZENTIO ONEBanking application. The form is titled 'Customer Address' and has a back arrow on the left. It contains several input fields and dropdown menus. The 'Address Type' dropdown is set to 'Home'. The 'Residential Or Occupancy Status' dropdown is set to 'Financed'. The 'Address Line 1' text field contains '2B'. The 'Country' dropdown is set to 'Select'. The 'Address Status' dropdown is set to 'Previous'. The 'Communication Address' toggle switch is turned off. The 'Address Line 2' text field is empty. The 'Province Id' dropdown is set to 'Select'. At the top of the form, there are fields for 'Application ID', 'Applicant Name', and 'Customer ID'. Below these fields is a navigation bar with tabs: 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info' (which is the active tab), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', and 'Next'. To the right of the navigation bar are buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', 'Print', and a help icon. A blue 'Add' button with a plus icon is located at the bottom right of the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

This screenshot is identical to the one above, showing the 'Customer Address' form. However, the 'Address Line 2' text field now contains the text 'ABCD'. All other fields and the overall layout remain the same.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

INDONESIA
IRAN (ISLAMIC REPUBLIC OF)
IRAQ
IRELAND
ISLE OF MAN
ISRAEL
ITALY
JAMAICA
JAPAN
JERSEY, C.I.
JORDAN
KAZAKHSTAN

Country *

Select

Customer ID :

Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Address Status *

Previous

Communication Address

Address Line 2 *

ABCD

Province Id *

Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

ICELAND
INDIA
INDONESIA
IRAN (ISLAMIC REPUBLIC OF)
IRAQ
IRELAND
ISLE OF MAN
ISRAEL
ITALY
JAMAICA
JAPAN
JERSEY, C.I.

Country *

Select

Customer ID :

Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Address Status *

Previous

Communication Address

Address Line 2 *

ABCD

Province Id *

Select