Cucumber Report

| Start : Oct 13, 2:26:39.381 pm	End : Oct 13, 2:27:20.645 pm	Duration : 41.264 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 2

#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	0	1	0	41.264 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	verify while modification system enters the invalid data (Invalid data types)	9	6	1	2	41.258 s

(F)- check the functionality of the Warehouse Master

FAILED	DURATION - 41.264 s	Scenarios		Steps	
	/ 2:26:39.381 pm // 2:27:20.645 pm /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 9 Pass - 6 Fail - 1 Skip - 2	9

(S)- verify while modification system enters the invalid data (Invalid data types)

FAILED	DURATION - 41.258 s		Steps	
	/ 2:26:39.387 pm // 2:27:20.645 pm /		Total - 9 Pass - 6 Fail - 1 Skip - 2	9
	check the functionality of the Warehouse Master			
	@AT_WHM_T006_Invalid			

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	21.579 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.411 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.660 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.738 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
4	And user click list view icon of Warehouse Master	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.633 s
	screenshot		
5	And user click Temp view icon of Warehouse Master	PASSED	1.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.622 s
	screenshot		
6	And user click on First Record Edit icon	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.180 s
	screenshot		
7	And user Enter the value in description and Modify it	FAILED	5.824 s
	org.openqa.selenium.InvalidElementStateException: invalid element state (Session info: chrome=105.0.5195.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.		

#	Step / Hook Details	Status	Duration

	version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [17b3071af59b1596fbeab69cc4854f50, clearElement {id=f6520476-a249-4380-b3a5-33756e306d09}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59722}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59722/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (17b3071af59b1596fbeab69cc4854f50)] -> xpath: //ion-col[1]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: 17b3071af59b1596fbeab69cc4854f50
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement.java:126)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.clear(Unknown Source)
	  at stepdefinitions.WareHouseMaster.user_enter_the_value_in_description_and_modify_it(WareHouseMaster.java:555)
	  at ?.user Enter the value in description and Modify it(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:196)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.195 s
8	And user Enter the value in Address field and Modify it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
9	And user Enter Invalid Data in warehouse Master	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify while modification system enters the invalid data (Invalid data types)

(F) check the functionality of the Warehouse Master