


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	40.470 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	Creation of Living Expenses record with invalid data	11	9	1	1	40.464 s
	Expenses Master						

DETAILED SECTION -- 4 --

## **(F)-** Check the functionality of Living Expenses Master

FAILED	DURATION - 40.470 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 4:33:43.388 pn	n // 4:34:23.858 pm /	Pass - 0	1	Pass - 9	11
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 1	

## (S)- Creation of Living Expenses record with invalid data



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	17.018 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		
	Company of the state of the sta		
2	Then user change Application Type as Los	PASSED	2.922 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
	ASSETTED  THE STATE OF THE STAT		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAI user click on List view lcon of Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAI user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAI user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAI user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAI user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAI user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AAI user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And user click on List view Icon of Living Expenses  Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And user click on List view Icon of Living Expenses  Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And user save the Record in Living Expenses  Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  And user save the Record in Living Expensess  Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.543 s  Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.527 s	3	Then user click on configurations Tab	PASSED	0.098 s
When user click Config Manager menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ATTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.543 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.596 s
4 When user click Config Manager menu  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.44 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.543 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.543 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.527 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  And user click on List view Icon of Living Expenses AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot  And user click on Add Icon for Living Expenses AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.527 s		SENTO  Secret II I I I I I I I I I I I I I I I I I		
screenshot  And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.849 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.735 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.543 s	4	When user click Config Manager menu	PASSED	0.145 s
And user click on List view Icon of Living Expenses  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.628 s  PASSED  0.879 s  0.879 s  0.344 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.735 s  7 And user save the Record in Living Expensess  PASSED  0.543 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.527 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add Icon for Living Expenses  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add Icon for Living Expenses  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expenses  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user save the Record in Living Expensess  PASSED  0.543 s  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.527 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.879 s  0.344 s  0.735 s  0.735 s		ASSISTED   Second   1   200   200   20   1		
screenshot  And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.344 s  0.735 s  2.7 And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.543 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.527 s	5	And user click on List view Icon of Living Expenses	PASSED	0.628 s
And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.344 s  0.735 s  PASSED  0.735 s  0.735 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.879 s
And user click on Add Icon for Living Expenses  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.344 s  0.735 s  PASSED  0.735 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.735 s  PASSED  0.543 s  PASSED  1.527 s				
Screenshot  7 And user save the Record in Living Expensess  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.527 s	6	And user click on Add Icon for Living Expenses	PASSED	0.344 s
7 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 1.527 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.735 s
7 And user save the Record in Living Expensess AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.527 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.527 s				
	7	And user save the Record in Living Expensess	PASSED	0.543 s
percepthet			PASSED	1.527 s
Screenshot		screenshot		

8 And user Pass the Exceldata value for Invalid  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And user verify the Blank field in Living Expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.030 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  0.356 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And user verify the Blank field in Living Expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.605 s  0.605 s
9 And user verify the Blank field in Living Expense  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.030 s  0.356 s
9 And user verify the Blank field in Living Expense PASSED 0.030 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.356 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.356 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.356 s
Screenshot  A SECTION  A SECTION
ACOUTO  COLUMN 1
10 And user Enter Invalid value in Description2 and verify it
java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.sendKeys(Unknown Source) at stepdefinitions.LivingExpense_Master.user_enter_invalid_value_in_description2_and_verify_it(LivingExpense_Master.java:855) at ?.user Enter Invalid value in Description2 and verify it(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/ test/java/features/MDM_LivingExp_Master.feature:134)
* Not displayable characters are replaced by '?'.
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.572 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ADDITION  THE PARTY OF THE PART		
11	And Validate the Message and verify it	SKIPPED	0.001 s


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

