
Cucumber Report



FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | To Verify the fuctionalities of Customer Employment | 1 | 0 | 1 | 0 | 2 m 12.726 s |




| # Feature Name | Scenario Name | T | P | F | S | Duration |
|--|---|----|---|---|---|--------------|
| 1 To Verify the fuctionalities of Customer | Verify system should allow user to do a modification with | 11 | 4 | 1 | 6 | 2 m 12.722 s |
| Employment | valid data | | | | | |

DETAILED SECTION -- 4 --

(F)- To Verify the fuctionalities of Customer Employment

| FAILED | DURATION - 2 m 12.726 s | Scenarios | | Steps | |
|---------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 11 | |
| / 5:09:52.935 | PM // 5:12:05.661 PM / | Pass - 0 | 1 | Pass - 4 | 11 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

(S)- Verify system should allow user to do a modification with valid data



| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| 1 | Given Launch the kuls application and Navigate to Application details view list | PASSED | 1 m 0.381 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.611 s |
| | screenshot | | |
| | CONTROL TO THE PROPERTY OF THE | | |
| 2 | Then choose the data set id for modification with valid data in customer employment | PASSED | 0.541 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.376 s |
| | screenshot | | |
| | ACTION NOTES IN THE CONTROL OF THE C | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| 3 | Then user should click on the menu toggle from maker side | PASSED | 0.382 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.320 s |
| | ASSUTION AND B T T T T T T T T T T T T T T T T T T | | |
| 4 | Then click on inbox to search for the Customer Employment record | PASSED | 0.110 s |
| | AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.266 s |
| | screenshot | | |
| | ### A STATUTO *** * | | |
| 5 | Then click on search button to search the record of Customer Employment in inbox | FAILED | 1 m 0.604 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //p-table[1]/div[1]/div[1]/span[2]/button[1]' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.CustomerEmployment. click_on_search_button_to_search_the_record_of_Customer_Employment_in_inbox(CustomerEmployment,java:63) at ?.click on search button to search the record of Customer Employment in inbox(file:///C:/Users/inindc00073/git/ repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/CustomerEmployment.feature:215) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: \(\) "method": "xpath", "selector": "//p- table[1]/div[1]/div[1]/span[2]/button[1]" \(\) (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [d68df0b39d04ad98d5912b5d1bc51c4e, findElement {using=xpath, value=//p- table[1]/div[1]/div[1]/div[1]/span[2]/button[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDatabir: C:UsersSININDC=1AppDatak1}, goog:chromeOptions: {debuggerAddress: localhost:52664}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52664/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: tru | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) | | |
| | at stepdefinitions.CustomerEmployment. | | |
| | click_on_search_button_to_search_the_record_of_Customer_Employment_in_inbox(CustomerEmployment.java:63) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |

| at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | |
|--|---------|
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | |
| at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | |
| at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | |
| | |
| at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.iava:598) | |
| | |
| at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | |
| at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | |
| at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) | |
| at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | |
| at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | |
| at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | |
| at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | |
| at org.testng.TestRunner.privateRun(TestRunner.java:794) | |
| at org.testng.TestRunner.run(TestRunner.java:596) | |
| at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | |
| at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | |
| at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | |
| at org.testng.SuiteRunner.run(SuiteRunner.java:276) | |
| at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | |
| at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | |
| at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | |
| at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | |
| at org.testng.TestNG.runSuites(TestNG.java:1063) | |
| at org.testng.TestNG.run(TestNG.java:1031) | |
| at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | |
| at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | |
| at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | |
| * Not displayable characters are replaced by '?'. | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED | 0.252 s |
| screenshot | 0.202 0 |
| | |
| SACTION NAME OF THE PARTY OF TH | |
| | |
| 22) 1 | |
| | |
| | |
| 6 Then enter the reference id of the Customer Employment record SKIPPED | 0.000 s |
| 7 Then click on the entitle button of the Customer Employment record of that reference id SKIPPED | 0.000 s |


DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 8 | Then click on the Customer Financials tab | SKIPPED | 0.001 s |
| 9 | Then open the record of Customer Employment to modify | SKIPPED | 0.000 s |
| 10 | Then verify system should allow user to do a modification of Customer Employment Details record with valid data | SKIPPED | 0.000 s |
| 11 | Then verify system display the confirmation message post clicking on save button of Customer Employment Details record | SKIPPED | 0.000 s |

EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

