

# Cucumber Report

20-Sep-2022, 3:21:46 pm

**Start : Sep 20, 3:20:57.338 pm**

**End : Sep 20, 3:21:42.852 pm**

**Duration : 45.514 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 10**


**FAILED - 1**

**SKIPPED - 1**







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	45.514 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	12	10	1	1	45.508 s





**(F)- check the functionality of Customer address details**





<b>FAILED</b>	<b>DURATION - 45.514 s</b>	Scenarios		Steps	
/ 3:20:57.338 pm // 3:21:42.852 pm /		Total - 1		Total - 12	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	


**(S)- verify system allow user to do a modification on already approved record**

<div>FAILED</div> <div>DURATION - 45.508 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 3:20:57.344 pm // 3:21:42.852 pm /</div>				
<div>check the functionality of Customer address details</div>				
<div>@AT_CAD_07</div>				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	16.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.481 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	5.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	3.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.992 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.083 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user click on Address Information First Record Edit Icon	PASSED	1.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.726 s
	screenshot		
			
9	And user Modify the Address type field	PASSED	0.709 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
			
10	And user Modify the Address Status field	PASSED	0.938 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.833 s
	screenshot		
			
11	And user Modify the Residential status field	FAILED	1.137 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-ehl-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Financed , Residential or Occupancy Status *" ng-reflect-model="98303498">...</ion-select> is not clickable at point (663, 450). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20005; --width:792.016px;">...</ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System		

#	Step / Hook Details	Status	Duration
	<p>info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [716bccb5d3ab3769282332fa5d421bb1, clickElement {id=bd60fc80-a83e-46ee-9bc6-8f63cdab1617}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59817}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59817/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (716bccb5d3ab3769282332fa5d421bb1)] -&gt; xpath: //ion-label[text()=' Residential or Occupancy Status']/parent::ion-item//ion-select] Session ID: 716bccb5d3ab3769282332fa5d421bb1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.Customer_Address_Information.user_modify_the_residential_status_field(Customer_Address_Information.java:488)  at ?.user Modify the Residential status field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CustomerAddress_details.feature:81)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	<p>screenshot</p> 		
12	And user click the update the button	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record


(F) check the functionality of Customer  
address details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and menu items: Dashboard, Configurations, Transactions, and Reports. The main area displays an 'Inbox' table with columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A single entry is visible with Reference Id 506, Event Code APP\_CREATE, Stage Code APPDATAENT, Role Code CPUEXEC, Employee Name in02040, Created Date 15-Sep-2022 10:22, Workflow Code HLW, and Product AHL. The bottom of the table indicates 'Showing 1 to 1 of 1 entries' with navigation arrows and a page size dropdown set to 10.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record


(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking interface with the 'Additional Customer Info' tab selected in the breadcrumb navigation. The main section is titled 'Customer Personal Information' and contains a form with multiple rows of input fields for customer details. The sidebar and top navigation bar are consistent with the previous screenshot.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record


(F) check the functionality of Customer  
address details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

**AZENTIO ONE Banking**

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Approve Reject Return Eligibility Check Print

**Customer Address**

Address Type \*  
Home

Residential Or Occupancy Status \*  
Financed

Address Line 1 \*  
AddressLine1

Country \*  
INDIA

Neighbourhood/District Name \*  
mumbai

Zip Code \*  
123456

Mobile Number (Primary)  
1234567123

Duration Of Stay  
0

Address Status \*  
Current

Communication Address

Address Line 2 \*  
Address Line 2

Province Id \*  
Maharastra

City Id \*  
Yavatmal

PO BOX Number  
12345

Mobile Number (Primary)  
1234567123

Latitude Details Of The Address

Longitude Details Of The Address

Land Mark

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

**AZENTIO ONE Banking**

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Repayment Schedule Policy Check Fee Details Next

Approve Reject Return Eligibility Check Print

**Customer Address**

Address Type \*  
Home

Residential Or Occupancy Status \*  
Financed

Address Line 1 \*  
AddressLine1

Country \*  
INDIA

Neighbourhood/District Name \*  
mumbai

Zip Code \*  
123456

Mobile Number (Primary)  
1234567123

Duration Of Stay  
0

Address Status \*  
Current

Communication Address

Address Line 2 \*  
Address Line 2

Province Id \*  
Maharastra

City Id \*  
Yavatmal

PO BOX Number  
12345

Mobile Number (Primary)  
1234567123

Latitude Details Of The Address

Longitude Details Of The Address

Land Mark

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

AZENTIO

ONBOARDING

Search the menu

Dashboard

Configurations

Transactions

Reports

Application ID :

Applicant Name :

Customer ID :

Prev

Application Info

Customer details

Additional Customer info

Customer Financials

Facility Info

Document Details

Offering

Repayment Schedule

Policy Check

Fee Details

Next

Approve

Reject

Return

Eligibility Check

Print

Customer Address

Customer Address

Address Type \*  
Home

Residential Or Occupancy Status \*  
Financed

Address Line 1 \*  
AddressLine1

Country \*  
INDIA

Neighbourhood/District Name \*  
mumbai

Zip Code \*  
123456

Mobile Number (Primary)  
1234567123

Duration Of Stay  
0

Longitude Details Of The Address

Address Status \*  
Current

Select  
Current  
Previous

Province Id \*  
Maharastra

City Id \*  
Yavatmal

PO BOX Number  
12345

Mobile Number (Primary)  
1234567123

Latitude Details Of The Address

Land Mark