


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	0	1	0	2 m 6.943 s

SCENARIOS SUMMARY

-- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	verify while modification system enters the invalid data	9	8	1	0	2 m 6.936 s
	Warehouse Master	(Invalid data types)					

(F)- check the functionality of the Warehouse Master

FAILED	DURATION - 2 m 6.943 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 5:10:00.483 p	om // 5:12:07.426 pm /	Pass - 0	1	Pass - 8	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- verify while modification system enters the invalid data (Invalid data types)




#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	29.062 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.318 s
	screenshot		
	DESCRIPTION OF THE SECOND SECO		
2	Then user click on configurations Tab	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
	ACCOUNTS B NO		

Men user click Config Manager menu AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click list view icon of Warehouse Master After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click Temp view icon of Warehouse Master After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.406 s PASSED 1.406 s PASSED 1.369 s After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.369 s After_step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 2.061 s PASSED 3.216 s 4.369 s	#	Step / Hook Details	Status	Duration
screenshot And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 3.216 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.216 s	3	When user click Config Manager menu	PASSED	1.443 s
4 And user click list view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.406 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.214 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.224 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.226 s			PASSED	0.416 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed after_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed passed after_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) passed again after - stepdefin				
screenshot After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.124 s After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s	4	And user click list view icon of Warehouse Master	PASSED	1.177 s
5 And user click Temp view icon of Warehouse Master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 3.216 s PASSED 1.406 s PASSED 1.369 s 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.124 s PASSED 0.256 s			PASSED	1.683 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAA duser Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 3.216 s PASSED 1.406 s PASSED 1.369 s 30.124 s PASSED 30.124 s PASSED 0.256 s			-	
Screenshot And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.124 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s	5	And user click Temp view icon of Warehouse Master	PASSED	2.061 s
6 And user click on First Record Edit icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.124 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.216 s
6 And user click on First Record Edit icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 30.124 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s		screenshot	1	
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.369 s PASSED 30.124 s PASSED 0.256 s				
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.369 s PASSED 30.124 s PASSED 0.256 s	6	And user click on First Record Edit icon	PASSED	1.406 s
7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s				
7 And user Enter the value in description and Modify it AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s			1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s				
	7	And user Enter the value in description and Modify it	PASSED	30.124 s
screenshot			PASSED	0.256 s
		screenshot		

#	Step / Hook Details	Status	Duration
	## A SECOND ## ## A SECOND ##		
8	And user Enter the value in Address field and Modify it	PASSED	0.750 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
	Screenshot		
	CASTION OF MINISTER MANAGEMENT OF MINISTER MA		
9	And user Enter Invalid Data in warehouse Master	FAILED	2.472 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"/lion-badge[contains(text(), Maximum allowed length is 50)]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0-0r-c1', revision: 'bc551.10da' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [34d925c313ea8f480f0be2ccf39fe549, findElement (using=yapath, value=/lion-badge[contains(text(), Maximum allowed length is 50')]] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: (chromedriverVersion: 105.0.5195.52 (412c95e51883, userData1bil: C:\Users\NINDC-1\AppDatal\), goog:chromeOptions: (debuggerAddress: localhost:59643), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:59643/devtoo, se.cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true) Session ID: 34d925c313ea8f480f0be2ccf39fe549 at java.base/jdk.internal.reflect. NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpRespon		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.WareHouseMaster.user_enter_invalid_data_in_warehouse_master(WareHouseMaster.java:714) at ?.user Enter Invalid Data in warehouse Master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:198) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.944 s
	screenshot		
	# # # # # # # # # # # # # # # # # # #		






EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

