

Cucumber Report

Sep 22, 2022, 4:16:52 PM

Start : Sep 22, 4:16:29.685 PM

End : Sep 22, 4:16:51.070 PM

Duration : 21.385 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 9







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | Check the functionality of Customer Address Details screen | 1 | 0 | 1 | 0 | 21.385 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|---|----|---|---|---|----------|
| 1 | Check the functionality of Customer Address Details screen | Verify the Customer Address Information Parameter details List view | 18 | 8 | 1 | 9 | 21.379 s |





(F)- Check the functionality of Customer Address Details screen




| | | | | | |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 21.385 s | Scenarios |  | Steps |  |
| / 4:16:29.685 PM // 4:16:51.070 PM / | | Total - 1 | | Total - 18 | |
| | | Pass - 0 | | Pass - 8 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 9 | |


(S)- Verify the Customer Address Information Parameter details List view

| | | | |
|---|--|--|---|
| <div>FAILED</div> <div>DURATION - 21.379 s</div> |  | <div>Steps</div> <div>Total - 18</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 9</div> |  |
| <div>/ 4:16:29.691 PM // 4:16:51.070 PM /</div> | | | |
| <div>Check the functionality of Customer Address Details screen</div> | | | |
| <div>@AT_CAD_010</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.411 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.404 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 3.428 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then user should click on the menu toggle | PASSED | 0.977 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.294 s |
| | screenshot  | | |
| 4 | Then click on inbox to search for the Customer Address Details record | PASSED | 0.217 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.388 s |
| | screenshot  | | |
| 5 | Then click on search button to search the record of Customer Address Details | PASSED | 0.156 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.239 s |
| | screenshot  | | |
| 6 | Then enter the reference id of the Customer Address Details record | PASSED | 0.121 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.199 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 7 | Then click on the entitle button of the Customer Address Details record of that reference id | PASSED | 0.227 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.240 s |
| | screenshot | | |
| |  | | |
| 8 | Then click on the Additional customer info tab in Customer Personal Information screen | PASSED | 0.706 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.467 s |
| | screenshot | | |
| |  | | |
| 9 | Then select the Customer Address details record from the customer personal detail screen | FAILED | 2.011 s |
| | <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'testerE')]/../td[2]/span/button[1]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8094220456f63e73a7d9b98c44996e21, findElement {using=xpath, value=//span[contains(text(),'testerE')]/../td[2]/span/button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppDataL...}, goog:chromeOptions: {debuggerAddress: localhost:58299}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58299/devtoo..., se.cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8094220456f63e73a7d9b98c44996e21</p> <p>at java.base/jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.CustomerAddressDetails. select_the_customer_address_details_record_from_the_customer_personal_detail_screen(CustomerAddressDetails.java:105) at ?.select the Customer Address details record from the customer personal detail screen(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:99) * Not displayable characters are replaced by '?'. </pre> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.291 s |
| | screenshot | | |
| |  | | |
| 10 | Then Verify system should display mention fields on List view of Customer Address Information Parameter details | SKIPPED | 0.001 s |
| 11 | Then Verify the values in List view should be non editable on List view of Customer Address details | SKIPPED | 0.000 s |
| 12 | Then select the record of Address details from the customer identification screen | SKIPPED | 0.001 s |
| 13 | Then Verify the functionality of Back button on List view of Customer Address details | SKIPPED | 0.000 s |
| 14 | Then click on export to excel button system should download Excel file of Customer Address details | SKIPPED | 0.000 s |
| 15 | Then click on export to pdf button system should download Pdf file of Customer Address details | SKIPPED | 0.000 s |
| 16 | Then verify search box should display matching record with matched data of Customer Address details | SKIPPED | 0.000 s |
| 17 | Then verify search box should not display any record with mismatched data of Customer Address details | SKIPPED | 0.000 s |
| 18 | Then Verify the functionality of add button | SKIPPED | 0.000 s |

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) Verify the Customer Address
Information Parameter details List view


(F) Check the functionality of Customer Address Details screen



```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking dashboard. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Product wise Analysis' and shows a 'Scheme wise Amount Financed' chart, which is currently blank. The top navigation bar includes a search bar, a user profile, and language/region dropdowns. A 'Powered by Metabase' logo is visible at the bottom.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking dashboard. The left sidebar contains a menu with 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area is titled 'Inbox' and shows a table with the header 'Action'. The table is currently empty, displaying 'Showing 0 to 0 of 0 entries'. The top navigation bar includes a search bar, a user profile, and language/region dropdowns. A 'Powered by Metabase' logo is visible at the bottom.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

×

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 645 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:49 | HLW | AHL | | T | T |
| | 644 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:30 | HLW | AHL | | T | T |
| | 643 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:26 | HLW | AHL | | T | T |
| | 639 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:8 | HLW | AHL | | T | T |
| | 610 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:56 | HLW | AHL | | T | T |
| | 636 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:40 | HLW | AHL | | T | T |
| | 638 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 620 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 13:35 | HLW | AHL | | T | T |
| | 231 | CHARGE_MST | MAKER | LOSMKR | in02040 | 22-Sep-2022 13:9 | TSW | | | M | M |
| | 631 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:53 | HLW | AHL | | T | T |

Showing 1 to 10 of 98 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Inbox

×

50d

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 645 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:49 | HLW | AHL | | T | T |
| | 644 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:30 | HLW | AHL | | T | T |
| | 643 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 15:26 | HLW | AHL | | T | T |
| | 639 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 22-Sep-2022 15:8 | HLW | AHL | | T | T |
| | 610 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:56 | HLW | AHL | | T | T |
| | 636 | APP_CREATE | DISBCKR | OPECHK | in02040 | 22-Sep-2022 14:40 | HLW | AHL | | T | T |
| | 638 | APP_CREATE | DUPAPPDEC | BRMANG | in02040 | 22-Sep-2022 14:11 | HLW | AHL | | T | T |
| | 620 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 13:35 | HLW | AHL | | T | T |
| | 231 | CHARGE_MST | MAKER | LOSMKR | in02040 | 22-Sep-2022 13:9 | TSW | | | M | M |
| | 631 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 22-Sep-2022 12:53 | HLW | AHL | | T | T |

Showing 1 to 10 of 98 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Search the menu

Dashboard
Configurations
Transactions
Reports

Inbox

506

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product | Workflow Type | Event Type | Transaction Type |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|---------------|------------|------------------|
| | 506 | APP_CREATE | APPDATANT | CPUEXEC | in02040 | 15-Sep-2022 10:22 | HLW | AHL | | T | |

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Search the menu

Dashboard
Configurations
Transactions
Reports

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Next

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the Customer Address
Information Parameter details List view

(F) Check the functionality of Customer
Address Details screen

The screenshot displays the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with a search bar and options: Dashboard, Configurations, Transactions, and Reports. The top header features the AZENTIO ONEBanking logo and navigation icons. The main content area is titled 'Customer Personal Information' and includes a search bar with the text 'testerE', an 'Export' button, and a table with columns 'Select' and 'Action'. Below the table, a message states 'No Records found'. A red error banner at the top right indicates 'Failed to load data.' A blue circular button with a gear icon is visible in the bottom right corner of the application area.