


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	43.379 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to view Customer Information tab at	11	9	1	1	43.376 s
		New App Stage					

DETAILED SECTION -- 4 --

(F)- Title of your feature

FAILED	DURATION - 43.379 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:27:04.109 Al	M // 9:27:47.488 AM /	Pass - 0	1	Pass - 9	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- To verify user is able to view Customer Information tab at New App Stage



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
	+ AZENTIO		
2	And login with valid credentials	PASSED	4.507 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
	ASSETTO SANDER OF BOOK OF A SANDER OF A SA		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot • O.207 s	#	Step / Hook Details	Status	Duration
screenshot And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.210 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.210 s O.220 s	3	And User get the test data for test case AT_CD_01	PASSED	0.202 s
And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s PASSED 0.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s PASSED 0.228 s PASSED 0.336 s		screenshot		
4 And User click the module name dropdown in ULS application AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.118 s PASSED 0.202 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot And User select the module name as LOS in ULS application AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.118 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.202 s				
screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAd user click on the hamburger menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.118 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.207 s	4	And User click the module name dropdown in ULS application	PASSED	0.210 s
Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on the hamburger menu Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on the transactions module Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.118 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
And User select the module name as LOS in ULS application AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on the hamburger menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.028 s PASSED 12.980 s PASSED 0.336 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.118 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.020 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on the hamburger menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on the transactions module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on the transactions module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.207 s 12.980 s PASSED 0.336 s 0.336 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click on the hamburger menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on the transactions module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.207 s 12.980 s 0.336 s 0.336 s 0.318 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s	5	And User select the module name as LOS in ULS application	PASSED	0.028 s
And user click on the hamburger menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on the transactions module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.118 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.202 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
And user click on the hamburger menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on the transactions module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.118 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s		screenshot	1	
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) Screenshot 7 And user click on the transactions module AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.336 s 0.118 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) 0.202 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user click on the transactions module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.336 s PASSED 0.118 s PASSED 0.202 s	6	And user click on the hamburger menu	PASSED	12.980 s
7 And user click on the transactions module AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.202 s		•		
7 And user click on the transactions module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.118 s 0.202 s		screenshot	1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.202 s				
	7	And user click on the transactions module	PASSED	0.118 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
		screenshot		

#	Step / Hook Details	Status	Duration
	ALENTO NAME OF EACH ON SOURCE AND		
8	And user click on the application manager option	PASSED	0.674 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot	1	


9	And user click on the customer details module	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.499 s
	screenshot		
	ASSUMPTION Name of a 10 to		
10	And user click the add button under customer details tab	FAILED	14.491 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:86) at org.junit.Assert.assertTrue(Assert.java:41) at org.junit.Assert.assertTrue(Assert.java:52) at stepdefinitions.IJARAH_Steps.user_click_the_add_button_under_customer_details_tab(IJARAH_Steps.java:282) at ?.user click the add button under customer details tab(file:///C:/Users/ININDC00627/git/ULS_Ijarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah.feature:39) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
	ALICHIC ALICE AL		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
11	And user click on the back button in personal details	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **AZENTIO** (S) To verify user is able to view Customer Information tab at New App Stage (F) Title of your feature AZENTIO 31-Jan-2023 📰 🗠 🔐 Eng... 🔻 Co... 🔻 Cen... 🔻 🌘 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking 88 HooksClass.addScreenshot(io.cucumber. java.Scenario) 0 (S) To verify user is able to view Customer Information tab at New App Stage (F) Title of your feature





EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

