Cucumber Report

| *Start : Jul 20, 10:24:23.697 PM*	*End : Jul 20, 10:24:56.813 PM*	*Duration : 33.116 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 0

1

1

15

Pass % 0 %

Pass % 0 %

Pass % 93 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	33.116 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	Product Master - Modify records (approve, reject and return) at maker stage	15	14	1	0	33.112 s

(F)- Check the functionality of product master

| FAILED	DURATION - 33.116 s	Scenarios		Steps	
/ 10:24:23.697 PM // 10:24:56.813 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 15 Pass - 14 Fail - 1 Skip - 0	15

## (S)- Product Master - Modify records (approve, reject and return) at maker stage

FAILED	DURATION - 33.112 s		Steps	
/ 10:24:23.701 PM // 10:24:56.813 PM /			Total - 15	
Check the functionality of product master			Pass - 14 Fail - 1	15
@M5			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	13.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.492 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.529 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then user should navigate to product master	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		
4	And click on edit view of product master	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
5	Then click on edit button of record2 to modify	PASSED	1.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
6	Then verify system allow user to save modified record with valid data	PASSED	0.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then click on inbox button	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot 		
8	And select the modified record from inbox to reject	PASSED	0.515 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.425 s
	screenshot 		
9	Then click on submit button	PASSED	1.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot 		
10	And click on edit view of product master	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then click on edit button of record3 to modify	PASSED	0.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.391 s
12	Then verify system allow user to save modified record with valid data	PASSED	0.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.208 s
13	Then click on inbox button	PASSED	0.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.307 s
14	And select the modified record from inbox to return	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.380 s

#	Step / Hook Details	Status	Duration
15	Then click on submit button	FAILED	1.239 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element ... is not clickable at point (1253, 114). Other element would receive the click: <div role="alert" class="ng-tns-c143-11 toast-message ng-star-inserted" aria-label="Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589." style="">...</div> (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [41a6df626002324e876883445651d3c0, clickElement {id=6578cecb-c4e4-4571-af0e-af22077c5798}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61894}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61894/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (41a6df626002324e876883445651d3c0)] -> xpath: //span[contains(text(),'Submit')]] Session ID: 41a6df626002324e876883445651d3c0
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
   at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)
   at stepdefinitions.ProductMaster_Retail.click_on_submit_button(ProductMaster_Retail.java:155)
   at ?.click on submit button(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:33)

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5561	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 22:20	TSW	
	5558	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 20:52	TSW	
	5557	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 20:52	TSW	
	43	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:56	TSW	
	42	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:33	TSW	
	40	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:8	TSW	
	39	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:5	TSW	
	38	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:3	TSW	
	37	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:59	TSW	

Please fill all the details

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

Puneet
01-Sep-2023

English LOS Azentio Software

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

Product Master

Submit Cancel

Product Master

Product Group *	Product Code *
Deposits	desc21
Product Description *	Retail/Corporate *
	Retail
DM Code	Status
desc21	
Remarks	
desc21	

Please fill all the details

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

Puneet
01-Sep-2023

English LOS Azentio Software

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master - Modify records (approve, reject and return) at maker stage	
(F) Check the functionality of product master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master - Modify records (approve, reject and return) at maker stage	
(F) Check the functionality of product master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master