# Cucumber Report

| Start : Jul 23, 10:58:45.425 AM | End : Jul 23, 10:59:12.531 AM | Duration : 27.106 s |
|:---:|:---:|:---:|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 7<br>FAILED - 1<br>SKIPPED - 0 |

**Features:** 1

**Scenarios:** 1

**Steps:** 8

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 87 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of product master | 1 | 0 | 1 | 0 | 27.106 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the functionality of product master | Product Master - to check the functionality of list view buttons of approved records | 8 | 7 | 1 | 0 | 27.099 s |

## (F)- Check the functionality of product master

| FAILED | DURATION - 27.106 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | / 10:58:45.425 AM // 10:59:12.531 AM / | Total - 1 | | Total - 8 | |
| | | Pass - 0 | 1 | Pass - 7 | 8 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 0 | |

## (S)- Product Master - to check the functionality of list view buttons of approved records

| FAILED | DURATION - 27.099 s | | Steps | |
|---|---|---|---|---|
| | / 10:58:45.432 AM // 10:59:12.531 AM / | | Total - 8 | |
| | Check the functionality of product master | | Pass - 7 | 8 |
| | @M10 | | Fail - 1 | |
| | | | Skip - 0 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 8.746 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.394 s |
| | screenshot | | |
| | | | |
| 2 | And User Login as maker | PASSED | 5.096 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
|   |  |  |  |
| 3 | Then user should navigate to product master | PASSED | 0.338 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.409 s |
|   | screenshot <br>  |  |  |
| 4 | And click on eye icon of product master | PASSED | 0.232 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.298 s |
|   | screenshot <br>  |  |  |
| 5 | Then verify product master details list view fields should display all the fields | PASSED | 1.690 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.162 s |
|   | screenshot <br>  |  |  |
| 6 | Then values in list view should not be editable | PASSED | 0.061 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
|   | screenshot |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then verify add button should allow to create new record | PASSED | 1.334 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.221 s |
| | screenshot | | |
| |  | | |
| 8 | Then verify search box should display matching record with matched data | FAILED | 1.672 s |
| | junit.framework.ComparisonFailure: expected:<[desc 30]> but was:<[98303249]><br>    at junit.framework.Assert.assertEquals(Assert.java:100)<br>    at junit.framework.Assert.assertEquals(Assert.java:107)<br>    at stepdefinitions.ProductMaster_Retail.verify_search_box_should_display_matching_record_with_matched_data(ProductMaster_Retail.java:560)<br>    at ?.verify search box should display matching record with matched data(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:95)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.147 s |
| | screenshot | | |
| |  | | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Product Master - to check the functionality of list view buttons of approved records | |
| (F) Check the functionality of product master | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Product Master - to check the functionality of list view buttons of approved records | |
| (F) Check the functionality of product master | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - to check the functionality of list view buttons of approved records

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - to check the
functionality of list view buttons of
approved records

(F) Check the functionality of product
master