
Duration: 1 m 26.275 s Start: Feb 25, 11:17:13.835 AM End: Feb 25, 11:18:40.110 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 13 SKIPPED - 0 SKIPPED - 0 SKIPPED - 11 25 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 52 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of fee master	1	0	1	0	1 m 26.275 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of fee master	To verify user is able to add new Fee record in Fee Master	25	13	1	11	1 m 26.269 s

(F)- To verify the functionality of fee master

FAILED	DURATION - 1 m 26.275 s	Scenarios		Steps	
		Total - 1		Total - 25	
/ 11:17:13.835	5 AM // 11:18:40.110 AM /	Pass - 0	1	Pass - 13	25
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 11	

(S)- To verify user is able to add new Fee record in Fee Master




#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	32.604 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
	screenshot		
	ACTIVITY ACTIVI		
2	And Click the configuration	PASSED	0.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
	TACHTO TOTAL CONTINUES TOTAL CONTINUES		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And Click the eyelcon of the fee master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Click the add button in fee master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. Ho	#	Step / Hook Details	Status	Duration
And Click the eyelcon of the fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) Then Click the add button in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(jo.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.	3	Then Click the config Manager	PASSED	0.393 s
And Click the eyeicon of the fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click the add button in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s 0.462 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.436 s
4 And Click the eyeicon of the fee master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Click the add button in fee master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.739 s 6.408 s PASSED 6.250 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s				
screenshot Then Click the add button in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s	4	And Click the eyeicon of the fee master	PASSED	0.332 s
Then Click the add button in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then To verify the red astrick mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.462 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.305 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.739 s
Then Click the add button in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 6.250 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s PASSED 0.305 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s PASSED 0.305 s				
screenshot And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s	5	Then Click the add button in fee master	PASSED	6.408 s
And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.087 s
And then print the fields avilable in charge tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s PASSED 0.462 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.305 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s PASSED 0.462 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.305 s	6	And then print the fields avilable in charge tab	PASSED	6.250 s
7 Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s 0.305 s			PASSED	0.403 s
7 Then To verify the red astriek mark on all the mandatory fields in fee master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.462 s 0.305 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.305 s		**************************************		
	7	Then To verify the red astriek mark on all the mandatory fields in fee master	PASSED	0.462 s
coronichat		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
Succiona		screenshot		

#	Step / Hook Details	Status	Duration
	*** PARTY **** PARTY OF THE PAR		
8	Then Check the functinality of charge description in charge tab	PASSED	1.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
	** ALCOTTO** **NOTE OF THE PROPERTY OF THE PR		
9	And Select the charge type in charge tab	PASSED	2.713 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.544 s
	screenshot		
10	Then select the charge flag in charge tab	PASSED	0.626 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
	*** ASSETTED *** AND SECOND SET OF MAN AND SET OF		
11	And select the Due code in charge tab	PASSED	0.739 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
	<u> </u>		


#	Step / Hook Details	Status	Duration
	ASSETTO: SAME BY OF THE PROPERTY OF THE PROPE		
12	Then Enter the legacy code1	PASSED	11.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot	1	
	ASSETUTE AND ASSETUTE ASSETUTE AND ASSETUTE AS		
13	And Enter the legacy code2	PASSED	11.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.466 s
	screenshot		
	A ACTIVITY A ACTIVITY TO THE PROPERTY OF THE		
14	Then Choose the GST applicable state	FAILED	1.192 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select_ngcontent-ljp-c177="" aria-haspopup="listbox" aria-label="Select, GST Applicable State " class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" ng-reflect-cancel-text="CANCEL" ng-reflect-disabled="false" ng-reflect-interface="popover" ng-reflect-jaceholder="Select" ng-reflect-multiple="false" ng-reflect-oktext="OK" ng-reflect-placeholder="Select" role="button"> is not clickable at point (668, 414). Other element would receive the click: <ion-popover aria-modal="true" class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" no-router="" style="z-index: 20005;width:792.016px;" tabindex="-1"> (Session info: chrome=110.0.5481.177) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.85', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca1cb5b8fe7d324ac09bc4f2d69f044e, clickElement {id=45bac84a-ae1e-44b4-9bb1-922f3d13290b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.177, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e, userDataDir: C:\Users\ININDC~1\AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:50335}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadstrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50335/devtoo, se:cdpVersion: 110.0.5481.177, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:ceredBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ca1cb</ion-popover></ion-select_ngcontent-ljp-c177="">		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.FeeMaster.choose_the_gst_applicable_state(FeeMaster.java:186) at ?Choose the GST applicable state(file:///C./Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/FeeMaster.feature:20) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.273 s
15	And click the is tax allowed button	SKIPPED	0.001 s
16	Then select the tax calculation method	SKIPPED	0.000 s
17	And click the include in apr button	SKIPPED	0.000 s
18	Then choose the amortize field in charge tab	SKIPPED	0.001 s
19	And choose the deduct field in charge tab	SKIPPED	0.000 s
20	Then select the upfront filed in charge tab	SKIPPED	0.001 s
21	And Select the amort rate method	SKIPPED	0.000 s
22	Then Choose the fee amort tenure method	SKIPPED	0.000 s
23	And Select the charge amount recovery	SKIPPED	0.000 s
24	Then Choose the fee amort frequency	SKIPPED	0.000 s
25	Then Save the record in charge tab	SKIPPED	0.000 s







EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

