Cucumber Report

Start : Aug 23, 12:33:48.014 pm	End : Aug 23, 12:34:14.420 pm	Duration : 26.406 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	1	0	0	26.406 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expenses record with invalid data	9	9	0	0	26.402 s

(F)- Check the functionality of Living Expenses Master

PASSED	DURATION - 26.406 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 12:33:48.014 pm // 12:34:14.420 pm /		Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Creation of Living Expenses record with invalid data

PASSED	DURATION - 26.402 s		Steps	
/ 12:33:48.018 pm // 12:34:14.420 pm /			Total - 9	
Check the functionality of Living Expenses Master			Pass - 9	9
			Fail - 0	
@AT_LE_005_Validation			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	13.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click on Other Masters Tab	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot 		
4	And user click on List view Icon of Living Expenses	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
	screenshot 		
5	And user click on Add Icon for Living Expenses	PASSED	2.275 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.523 s
	screenshot 		
6	And user save the Record in Living Expenses	PASSED	0.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user verify the Blank field in Living Expense	PASSED	0.052 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot 		
8	And user Enter Invalid value in Description2 and verify it	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.991 s
	screenshot 		
9	And Validate the Message and verify it	PASSED	0.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with invalid data

(F) Check the functionality of Living
Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Creation of Living Expenses record with invalid data	
(F) Check the functionality of Living Expenses Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Creation of Living Expenses record with invalid data

(F) Check the functionality of Living Expenses Master